

V2

EXTRUDED PROFILES
COMPLETE RANGE

Movex[®]
www.movexii.com

Movex® EXTRUSION CENTER

We extrude for your business.

Movex® is a dynamic and flexible business reality that have been active in the industrial production for over ten years and is reaching market leadership as a reliable and precise supplier, planning the future without losing sight of its history and the values that allow its growth.

All our products are tested by our quality control team; monitoring, performance analysis and control of all processes are our main priorities. We are strongly committed to providing our customers with the highest quality.

We meet our customers' needs for both standard and customized products in a dynamic and proactive environment.





Choose the one that best suits you.

Movex® provides a new generation of high-performance profiles developed and produced with the most up to date technology. Experienced engineers work around the clock on more than 50 extrusion machines, perfecting almost 2.000 high-quality products of different types and sizes.

Movex® profiles are produced from top-quality **UHMW-PE**, with the possibility of enhanced performance with the use of our super-performing materials **BluLub®**, **Titanium White®** and **AS**.


Standard or customized extrusion...your choice.

Movex® is driven by the will to design and manufacture top quality items, combining technical performance and design, in order to offer its customers a tailor made service.

Beside of the standard available profiles, **Movex®** is also developing together with the customer innovative special solutions to offer “*the product you need when you need it*” against an attractive price.


We have organized a specific workflow, developed over the course of the last ten years, which aims to satisfy the requirements of even the most demanding buyer. Get in touch with us and ask a personalized quotation.

DESIGN DEPT



PACKAGING DEPT





BORN TO PERFORM

BluLub® is the Movex super-performance compounded Ultra High Molecular Weight Polyethylene material, with the latest generation of solid lubricants, able to contribute improving PV properties (limiting pressure velocity) compared to standard UHMW-PE, especially in applications with limited lubrication, higher speeds and/or higher loads.

BluLub® ensures high wear and abrasion resistance, requires less energy and with the lowest coefficient of friction, improves the product stability and wear life of sliding parts.



Low Friction

Lowest coefficient of friction compared to traditional materials.



High Performance

Extreme material performances with high speeds and loads.



Molecular density:
9,200,000 g/mol.





Operating temperature:
-40 to + 80°C (-40 to 176°F)



Linear expansion coefficient:
 $2 \times 10^{-4} \text{C}^{-1}$ ($1.1 \times 10^{-4} \text{F}^{-1}$)

FDA
APPROVED



Thanks to the unique **BluLub®** characteristics, all the extruded profiles can offer several advantages like longer wear life, minimized dust generation and extreme noise reduction. The recent test with the Technical University of Chemnitz, confirmed **BluLub®** being the best material available for dry running applications.






Your **SUSTAINABLE** choice.





UP TO **80%**
ENERGY SAVING

With lowest coefficient of friction and optimized sliding properties of **BluLub®**, the conveying power required, thus the energy consumption, can be extremely reduced.



More advantages:
Long wear life
Low noise
Minimized dusting
Best Lubricant



Titanium (WHITE)

High quality, BRIGHT WHITE extrusion.

The name **Titanium White**[®] refers to the special metal because it has comparable unique properties, like high strength and optimum performance, generating low friction, absorbing heat and reducing energy consumption.

Thanks to the **Titanium White**[®] characteristics, the extruded profiles are made of an intense white UHMW-PE, resulting in a smoother surface and devoid of push marks, meaning in a minimized power consumption and possible goods defect. It has also an improved UV and aging resistance and a high chemical resistance.



UP TO **50%**

**IMPROVED
RESISTANCE**

COMPARISON WITH UHMW-PE



Molecular density:
9,200,000 g/mol.



Operating temperature:
-40 to + 80°C (-40 to 176°F)




Linear expansion coefficient:
2 x 10⁻⁴°C⁻¹ (1.1 x 10⁻⁴ °F⁻¹)

FDA
APPROVED

UHMW-PE

Standard profiles are all made with a first-rate **UHMW-PE** polyethylene, a thermoplastic polymer with a variable crystalline structure with a vast range of applications.

UHMW-PE is available in several colors and lengths. It's the perfect choice to reach your line performance against an attractive price.



Black



Blue



Green



Grey



Molecular density:
5,600,000 g/mol.



Operating temperature:
-40 to + 80°C (-40 to 176°F)



Linear expansion coefficient:
 $2 \times 10^{-4} \text{ } ^\circ\text{C}^{-1}$ ($1.1 \times 10^{-4} \text{ } ^\circ\text{F}^{-1}$)



AS Antistatic

Plastic packaging and PET bottles can generate high levels of static buildup.

Static dissipative profiles are plastics designed to reduce static electricity in order to protect electrostatic-sensitive devices or contain flammable liquids or gases.



Molecular density:
5,600,000 g/mol.




Operating temperature:
-40 to + 80°C (-40 to 176°F)



Linear expansion coefficient:
 $2 \times 10^{-4} \text{ } ^\circ\text{C}^{-1}$ ($1.1 \times 10^{-4} \text{ } ^\circ\text{F}^{-1}$)

Surface resistivity (Ohm/sq)



METAL CONDUCTORS

PLASTIC INSULATORS

HIGH QUALITY SIDE GUIDES

Made with ram extrusion technology and new patented process.


The Movex side guides, extruded with RAM extrusion technology, are the perfect choice to improve the conveyor performances. Thanks to a new patented and innovative production process, we have further enhanced our range of profiles, improving performance and reducing the dust creation.

These profiles are available with height from 50 to 170 mm, and with many different shapes and types (with clamping system or label saver), and can also be extruded with our unique materials **BluLub®** and **Titanium White®**, providing unparalleled performance and reliability.

KEY BENEFITS

compared to traditional extrusion technique:

- Best efficiency • Increased wall thickness
- Superior flatness • Improved sliding properties
- Reduced product damage • Smoother shape
- Less dust/powder • Improved superficial texture
- High-level quality standards



Matte finish



9.200.000
g/mol



BluLub® side guides
MADE WITH RAM TECHNOLOGY



Polished finish



500.000
g/mol



HDPE side guides
TRADITIONAL IN THE MARKET
SCREW EXTRUSION PROCESS (COMPETITOR MATERIAL)



Vertical RAM extrusion




BluLub® side guide rail

WEAR TEST RESULTS

Friction



Wear life



TCO



RS SIDE GUIDE RAIL

Easy and modular replacement label saver system.

RS Side guide profile is a development which enable you to simplify your business! Thanks to the replaceable wear-strip in **BluLub®**, **RS Side guide profile** can reduce total cost of ownership: in case of required maintenance, only **BluLub®** strips can be replaced, saving time at a lower cost.

Different profiles are available from stock and can be mounted in different ways to optimize the support of your product according to the specific needs.



RS Side guide rail profiles are available in various executions.



Increased performance

BluLub® wearstrips contribute to a lower friction which results in less energy consumption.



Fast and easy maintenance

Thanks to its innovative design, the easy replaceable **BluLub® wearstrips** meets the needs to reduce maintenance time.



Interchangeable wearstrip

Every **BluLub® wearstrip** has the same fixing system, this makes all versions interchangeable. In case of required replacement, wearstrips can be ordered as coiled spare parts.



No gap between connection

BluLub® wearstrip allows you to connect two or more different base profiles with no gap, by simply slide it in.

The right choice for:

- Innovative equipment
- Total cost reduction
- Less energy consumption
- Improved product stability

Materials:

- Base profile: **UHMW-PE** (see details).
- Label saver: **BluLub®** polyethylene UHMW-PE with molecular density 9,200,000 g/mo. with reduced coefficient of friction and higher wear resistance and its complies with the code of Federal Regulations of FDA (see details).

Movex® PROFILE TEST

Technische universität CHEMNITZ.



TECHNISCHE UNIVERSITÄT
CHEMNITZ

The following graphics show the test results obtained with a cooperation with the Technical University of Chemnitz, which analysed the coefficient of friction and the wear values of the Movex profiles (BluLub, Ti-White and UHMPWPE) in combination with our main plastic chain materials (LF and PFX) and cans and PET bottles.

A dedicated setup shown in the following pictures have been studied, in order to represent the reality as much as possible (it must be considered that, being a test environment, many factors could not be considered, e.g. temperature, dirt, cycling operations).

In general, it can be seen that the friction values are below 0.15 in all tests for BluLub and Titanium White, i.e., the pairings consistently exhibit very good sliding behaviour. For UHMW-PE and HDPE the values show clearly different performances.

The LF chain produced the expected results with the drop in friction values from dry running to water lubrication to lubricant. It is noticeable that significantly lower friction values were measured with water and lubricant compared to PFX chain. With the PFX chain, the phenomenon also occurs that the friction values with water lubrication are noticeably higher than those with dry running.

For dry conditions, BluLub and PFX combination offers the best performances, even if the combination of Titanium White and LF is not that far away; the main differences between the two combinations is shown in the wear graphs.

Another clear difference (which is not analysed in this report, as was not the scope of it) is the carried product stability; in fact, the coefficient of frictions of PFX and LF are very different (more information on the Movex general catalog).


In water condition it is evident that LF in combination with Ti-White offers the best performance. For the complete report, please ask to your sales representative.




Friction values (averaged between 30 and 36 hours running time)

Conveyor test	Dry		Wet		Lubricated	
	PFX	LF	PFX	LF	PFX	LF
BluLub®	0,100	0,119	0,137	0,094	0,096	0,061
Ti-White®	0,153	0,104	0,142	0,064	0,094	0,066
UHMW-PE Green	0,171	0,128	0,159	0,078	0,105	0,090
HDPE Black (competitor material)	0,275	0,205	0,25	0,18	0,160	0,161



Measured value curves chain material PFX




Chain wear values





Profile wear values



Container wear values



Profile wear values




Extruded profiles range

L-Profile


See product page for specific details and materials available.

1094




Pag 22

175




Pag 22

1038




Pag 22

150




Pag 22

1058



Pag 23

174




Pag 23

Z-Profile


See product page for specific details and materials available.

101




Pag 23

102



Pag 24

102




Pag 24

176



Pag 24

1074




Pag 24

Special shape


See product page for specific details and materials available.

107



Pag 24

108



Pag 25


105

A: 20/25/30/40/50/60/70/100
B: 3/5




Pag 25

106




Pag 26

103 Fit on 2,5 to 3,5 mm




Pag 26

104 Fit on 2,5 to 3,5 mm




Pag 26

179 Fit on 2,5 to 3,5 mm




Pag 26

1014 Fit on 3 mm




Pag 27

1015 Fit on 2,5 to 3,5 mm




Pag 27

1016 Fit on 3 mm




Pag 27

1017 Fit on 3 mm




Pag 28

1018 Fit on 3 mm




Pag 28

1019 Fit on 3 mm




Pag 28

1020 Fit on 3 mm




Pag 29

1091 Fit on 3 mm




Pag 29

1068/1090
Fit on 1,8 to 2 mm / Fit on 3 mm




Pag 29

1021 Fit on 3 mm




Pag 30

1022 Fit on 3 mm




Pag 30

1023 Fit on 3 mm




Pag 30

1024 Fit on 3 mm




Pag 31

1025 Fit on 3 mm




Pag 31

1026 Fit on 3 mm




Pag 31

1027 Fit on 3 mm




Pag 32

1028 Fit on 3 mm




Pag 32

1046 Fit on 3 mm




Pag 32

1029 Fit on 3 mm




Pag 33

1030 Fit on 3 mm




Pag 33

1031 Fit on 3 mm




Pag 33

1032 Fit on 3 mm




Pag 33

1035 Fit on 3 mm




Pag 34

1033 Fit on 3 mm



Pag 34

1034 Fit on 3 mm




Pag 34

U-Profile


See product page for specific details and materials available.

109




Pag 35

1111




Pag 35

110




Pag 35

156




Pag 36

156




Pag 36

149




Pag 36

177




Pag 36

1059




Pag 37

178




Pag 37

111



Pag 37

1060




Pag 38

199




Pag 38

199




Pag 38

199 Staggered




Pag 38

1080




Pag 39

1081




Pag 39

133




Pag 39

148




Pag 40

157



Pag 40

157




Pag 40


118 Stainless steel

112 Stainless steel


147 Aluminum



Pag 41



Pag 41




Pag 41

C-Profile


See product page for specific details and materials available.

1041 Fit on 25 x 5 mm




Pag 41

1082 Fit on 38,1 x 6,35 mm




Pag 42

1044 Fit on 38,1 x 12,7 mm




Pag 42

1053 Fit on 38,1 x 6,35 mm



Pag 42

1054 Fit on 38,1 x 6,35 mm




Pag 42

1101 Fit on 40 x 6 mm




Pag 43

137 Fit on 40 x 8 mm




Pag 43

137 Fit on 40 x 8 mm




Pag 43

137 Fit on 40 x 8 mm




Pag 43

1042 Fit on 50 x 6 mm




Pag 44

1045 Fit on 50,8 x 12,7 mm




Pag 44

158 Fit on 50 x 6 mm




Pag 44

1102 Fit on 80 x 5 mm




Pag 45

1107 Fit on 90 x 12




Pag 45

163 See dimension available
Used with Part. 164/165




Pag 46

160 Used with Part. 164/165




Pag 47

161 Used with Part. 164/165




Pag 47

1092 Used with Part. 164/165




Pag 48

162 Used with Part. 164/165




Pag 48

164 Aluminum




Pag 49

165 Aluminum




Pag 49

1039



Pag 49


1083



Pag 49


166

ØA: 8/10/12/16
ØB: 12/14/16/20




Pag 50

154




Pag 50

155



Pag 50

134




Pag 51

Transfer plate and NoseBar


See product page for specific details and materials available.

199 Fit on 3 mm




Pag 51

238




Pag 51

228



Pag 51

235




Pag 51

Bar cap and cover

1000


Fit on 1,5 mm



Pag 52

1001


Fit on 1,5 mm



Pag 52

1002


Fit on 3 mm



Pag 52

1109


Fit on 3 mm



Pag 52

1003


Fit on 3 mm



Pag 52

1004


Fit on 3 mm



Pag 53

1084


Fit on 3 mm



Pag 53

1085


Fit on 3 mm



Pag 53

153


Fit on 4/5 mm



Pag 53

1006


Fit on 5 mm



Pag 54

1007


Fit on 5 mm



Pag 54

1095


Fit on 4 mm



Pag 54

1040


Fit on 3 mm



Pag 55

1008


Fit on 5 mm



Pag 55

1009


Fit on 6 mm



Pag 55

1010


Fit on 6 mm



Pag 56

1086


Fit on 8 mm



Pag 56

1011


Fit on 10 mm



Pag 56

1013


Fit on 10 mm



Pag 57


1012

Fit on 12/13 mm




Pag 57

181 Fit on 25,4 x 25,4 mm




Pag 57

1052 Fit on 38,1 x 50,8 mm




Pag 58

180 Fit on 30,5 x 46 mm



Pag 58

1108




Pag 58

Side guide rail USED WITH PLATE


See product page for specific details and materials available.

1063
Fit on mm
30 x 4




Pag 59

137
Fit on mm
40 x 8




Pag 59

137
Fit on mm
40 x 10




Pag 60

158
Fit on mm
50 x 6



Pag 60

1107
Fit on mm
90 x 12




Pag 61

1064
Fit on mm
55 x 4




Pag 61

183
Fit on mm
40 x 8




Pag 62

1103
Fit on mm
40 x 4




Pag 62

158
Fit on mm
50 x 6




Pag 63

194 Label saver
Fit on mm
50 x 6




Pag 63

189
Fit on mm
40 x 8




Pag 64

189 Label saver
Fit on mm
40 x 8




Pag 65

1079 RS
Fit on mm
40 x 8




Pag 65

1079 RS
Fit on mm
40 x 8




Pag 65

1104
Fit on mm
40 x 4




Pag 66

1096
Fit on mm
50 x 5




Pag 66

189
Fit on mm
50 x 6



Pag 67

189 Label saver
Fit on mm
50 x 6




Pag 67

Side guide rail USED WITH PLATE AND CLAMP


See product page for specific details and materials available.

135
Fit on mm
60 x 6




Pag 69

136
Fit on mm
60 x 6




Pag 69

1057
Fit on mm
50 x 6




Pag 70

1077 Label saver
Fit on mm
50 x 6




Pag 70

1077 RS
Fit on mm
50 x 6




Pag 71

1078 RS
Fit on mm
50 x 6




Pag 71

1057
Fit on mm
60 x 6




Pag 72

1077 Label saver
Fit on mm
60 x 6




Pag 72

1077 RS
Fit on mm
60 x 6




Pag 73

1078 RS
Fit on mm
60 x 6




Pag 73

193
Fit on mm
60 x 5




Pag 74

189
Fit on mm
60 x 5




Pag 74

193
Fit on mm
60 x 6




Pag 76

189 Label saver
Fit on mm
60 x 6




Pag 76

1075 RS
Fit on mm
60 x 6




Pag 77

187
Fit on mm
60 x 6



Pag 78

187 Label saver
Fit on mm
60 x 6



Pag 78

117
Stainless steel
Fit on mm
40 x 6
40 x 8
40 x 10




Pag 79

1055
Stainless steel
Fit on mm
40 x 8
50 x 6



Pag 79

159 - 1088 - 1089
Aluminum
Fit on mm
50 x 6
60 x 5
60 x 6




Pag 80

Guide rail


See product page for specific details and materials available.

119




Pag 81

121




Pag 82

120




Pag 83

152




Pag 83

1067




Pag 84

143




Pag 84

122




Pag 85

123




Pag 85

140




Pag 86

146




Pag 86

124




Pag 87

141




Pag 87

142




Pag 88

125




Pag 88

144




Pag 89

184




Pag 89

145




Pag 90

1087




Pag 90

191




Pag 90

126




Pag 91

127




Pag 91

128



Pag 91

129



Pag 91

Bending machines and rollers

See product page for specific details and materials available.

198



Pag 92

199



Pag 92

151




Pag 93

Neck guide


See product page for specific details and materials available.

170 Fit on 2,5 mm




Pag 95

168 Fit on 2,5 mm




Pag 95

169 Fit on 2,5 mm




Pag 95

167 Fit on 1,8/2 mm




Pag 95

192 Fit on 1,8/2 mm




Pag 96

1062 Fit on 1,8/2 mm




Pag 96

1072 Fit on 1,8/2 mm




Pag 96

1073 Fit on 1,8/2 mm




Pag 96

1076 Fit on 1,8/2 mm




Pag 97

1037 Fit on 3 mm




Pag 97

171 Fit on 3 mm




Pag 97

172 Fit on 3 mm




Pag 97

131
TYPE A
TYPE B




Pag 98

130 Aluminum
TYPE A




Pag 98

130 Aluminum
TYPE B



Pag 98

188 Aluminum



Pag 98

BluLub® STABILIZED

For all the Movex neck guides made in BluLub, we have added a special additive that improves the dimensional stability.

UP TO **35%** Dimensional stability
Improvement up to 35%

UP TO **50%** Thermal expansion
Expansion reduction up to 50%

Shoes and connecting elements

See product page for specific details and materials available.

113



113



114



116



Pag 99

Pag 100

Pag 100

Pag 101

116



115



230



231



Pag 102

Pag 102

Pag 103

Pag 103

Accessories

See product page for specific details and materials available.

362 - 3629



1097



3310



3311



Pag 104

Pag 104

Pag 105

Pag 105

345



341



351



3004



Pag 105

Pag 106

Pag 107

Pag 107

352



3005



347



348



Pag 107

Pag 108

Pag 108

Pag 108

346



357



3099



Pag 109



Pag 109

Pag 109

1094 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
109404	BluLub	On request	60 m coils
109403	Ti-White	On request	60 m coils
109401	Black	On request	60 m coils
109405	Blue	On request	60 m coils
109402	Green	On request	60 m coils

175 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
17504	BluLub	On request	60 m coils
17503	Ti-White	On request	60 m coils
17501	Black	Stock item	60 m coils
17505	Blue	On request	60 m coils
17502	Green	Stock item	60 m coils

1038 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
103804	BluLub	On request	60 m coils
103803	Ti-White	On request	60 m coils
103805	Blue	On request	60 m coils

150 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
15004	BluLub	On request	60 m coils
15003	Ti-White	On request	60 m coils
15001	Black	Stock item	60 m coils
15005	Blue	On request	60 m coils
15002	Green	Stock item	60 m coils

1058 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
105800BC	BluLub	On request	3 m bars
105800B	BluLub	On request	6 m bars
105803C	Ti-White	On request	3 m bars
105803	Ti-White	On request	6 m bars
105801C	Black	Stock item	3 m bars
105801	Black	On request	6 m bars
105805C	Blue	On request	3 m bars
105805	Blue	On request	6 m bars
105802C	Green	Stock item	3 m bars
105802	Green	On request	6 m bars

174 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
17404C	BluLub	On request	3 m bars
17404	BluLub	On request	6 m bars
17403C	Ti-White	On request	3 m bars
17403	Ti-White	On request	6 m bars
17401C	Black	Stock item	3 m bars
17401	Black	On request	6 m bars
17405C	Blue	On request	3 m bars
17405	Blue	On request	6 m bars
17402C	Green	Stock item	3 m bars
17402	Green	On request	6 m bars

101 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
10104	BluLub	On request	60 m coils
10103	Ti-White	On request	60 m coils
10101	Black	Stock item	60 m coils
10105	Blue	On request	60 m coils
10102	Green	Stock item	60 m coils

102 Z-Profile

Material: **BluLub**, **Ti-White**, standard **UHMW-PE** and **AS Antistatic**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
10202B	BluLub	Stock item	60 m coils
10203	Ti-White	On request	60 m coils
10201	Black	Stock item	60 m coils
10205	Blue	On request	60 m coils
10202	Green	Stock item	60 m coils
10201A	AS	Stock item	60 m coils

102 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
10299B	BluLub	Stock item	60 m coils
10293	Ti-White	On request	60 m coils
10297	Black	On request	60 m coils
10295	Blue	On request	60 m coils
10298	Green	Stock item	60 m coils

176 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
17604	BluLub	On request	60 m coils
17603	Ti-White	On request	60 m coils
17601	Black	On request	60 m coils
17605	Blue	On request	60 m coils
17602	Green	Stock item	60 m coils

1074 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
107404	BluLub	On request	60 m coils
107403	Ti-White	On request	60 m coils
107401	Black	Stock item	60 m coils
107405	Blue	On request	60 m coils

107 Wear strip

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
10704	BluLub	On request	60 m coils
10703	Ti-White	Stock item	60 m coils
10701	Black	On request	60 m coils
10705	Blue	On request	60 m coils
10702	Green	Stock item	60 m coils



Supports available
Part 230/231
Pag 103



108 T-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
10800BC	BluLub	On request	3 m bars
10800B	BluLub	Stock item	6 m bars
10803C	Ti-White	On request	3 m bars
10803	Ti-White	On request	6 m bars
10801C	Black	Stock item	3 m bars
10801	Black	On request	6 m bars
10805C	Blue	On request	3 m bars
10805	Blue	On request	6 m bars
10802C	Green	Stock item	3 m bars
10802	Green	Stock item	6 m bars

105 Flat Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	A	B	Availability	Supply
10502BL	BluLub	20	3	On request	60 m coils
10504BL	BluLub	20	5	On request	60 m coils
10595BL	BluLub	25	3	On request	60 m coils
10592BL	BluLub	30	3	On request	60 m coils
10594BL	BluLub	30	5	On request	60 m coils
10596BL	BluLub	40	3	On request	60 m coils
10597BL	BluLub	50	3	On request	60 m coils
10506BL	BluLub	60	3	On request	60 m coils
10508BL	BluLub	70	3	On request	60 m coils
10510BL	BluLub	100	3	On request	60 m coils
10502W	Ti-White	20	3	On request	60 m coils
10504W	Ti-White	20	5	On request	60 m coils
10595W	Ti-White	25	3	On request	60 m coils
10592W	Ti-White	30	3	On request	60 m coils
10594W	Ti-White	30	5	On request	60 m coils
10596W	Ti-White	40	3	On request	60 m coils
10597W	Ti-White	50	3	On request	60 m coils
10506W	Ti-White	60	3	On request	60 m coils
10508W	Ti-White	70	3	On request	60 m coils
10510W	Ti-White	100	3	On request	60 m coils
10501	Black	20	3	Stock item	60 m coils
10503	Black	20	5	Stock item	60 m coils
10505	Black	60	3	Stock item	60 m coils
10507	Black	70	3	Stock item	60 m coils
10509	Black	100	3	On request	60 m coils
10501B	Blue	20	3	On request	60 m coils
10503B	Blue	20	5	On request	60 m coils
10505B	Blue	60	3	On request	60 m coils
10507B	Blue	70	3	On request	60 m coils
10509B	Blue	100	3	On request	60 m coils
10502	Green	20	3	Stock item	60 m coils
10504	Green	20	5	Stock item	60 m coils
10595	Green	25	3	Stock item	60 m coils
10592	Green	30	3	On request	60 m coils
10594	Green	30	5	Stock item	60 m coils
10596	Green	40	3	Stock item	60 m coils
10597	Green	50	3	On request	60 m coils
10506	Green	60	3	Stock item	60 m coils
10508	Green	70	3	Stock item	60 m coils
10510	Green	100	3	Stock item	60 m coils

106 Flat Profile with nose

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
10604	BluLub	On request	60 m coils
10603	Ti-White	Stock item	60 m coils
10601	Black	Stock item	60 m coils
10605	Blue	On request	60 m coils
10602	Green	Stock item	60 m coils

103 J-Profile

Fit on 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
10300B-30	BluLub	Stock item	30 m coils
10303	Ti-White	Stock item	60 m coils
10301	Black	Stock item	60 m coils
10305	Blue	On request	60 m coils
10302	Green	Stock item	60 m coils

104 J-Profile

Fit on 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
10400B	BluLub	Stock item	60 m coils
10403	Ti-White	On request	60 m coils
10401	Black	Stock item	60 m coils
10405	Blue	On request	60 m coils
10402	Green	Stock item	60 m coils

179 J-Profile

Fit on 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
17902BC	BluLub	On request	3 m bars
17902B	BluLub	On request	6 m bars
17902B-60	BluLub	Stock item	60 m coils
17902WC	Ti-White	On request	3 m bars
17902W	Ti-White	On request	6 m bars
17902W-60	Ti-White	On request	60 m coils
17901C	Black	Stock item	3 m bars
17901	Black	On request	6 m bars
17901BC	Blue	On request	3 m bars
17901B	Blue	On request	6 m bars
17901B-60	Blue	On request	60 m coils
17902C	Green	Stock item	3 m bars
17902	Green	On request	6 m bars
17902-60	Green	Stock item	60 m coils

1014 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
101400BC	BluLub	On request	3 m bars
101400B	BluLub	On request	6 m bars
101400B-30	BluLub	On request	30 m coils
101403C	Ti-White	Stock item	3 m bars
101403	Ti-White	On request	6 m bars
101403-30	Ti-White	Stock item	30 m coils
101405C	Blue	On request	3 m bars
101405	Blue	On request	6 m bars
101405-30	Blue	On request	30 m coils

1015 J-Profile

Fit on 2,5 to 3,5 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
101500BC	BluLub	On request	3 m bars
101500B	BluLub	On request	6 m bars
101500B-30	BluLub	On request	30 m coils
101503C	Ti-White	On request	3 m bars
101503	Ti-White	On request	6 m bars
101503-30	Ti-White	On request	30 m coils
101505C	Blue	On request	3 m bars
101505	Blue	On request	6 m bars
101505-30	Blue	On request	30 m coils

1016 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
101600BC	BluLub	On request	3 m bars
101600B	BluLub	On request	6 m bars
101600B-30	BluLub	On request	30 m coils
101603C	Ti-White	Stock item	3 m bars
101603	Ti-White	On request	6 m bars
101603-30	Ti-White	Stock item	30 m coils
101601C	Black	On request	3 m bars
101601	Black	On request	6 m bars
101601-30	Black	On request	30 m coils
101605C	Blue	On request	3 m bars
101605	Blue	On request	6 m bars
101605-30	Blue	On request	30 m coils
101602C	Green	On request	3 m bars
101602	Green	On request	6 m bars
101602-30	Green	On request	30 m coils

1017 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
101700BC	BluLub	On request	3 m bars
101700B	BluLub	On request	6 m bars
101700B-30	BluLub	On request	30 m coils
101703C	Ti-White	Stock item	3 m bars
101703	Ti-White	On request	6 m bars
101703-30	Ti-White	Stock item	30 m coils
101701C	Black	On request	3 m bars
101701	Black	On request	6 m bars
101701-30	Black	On request	30 m coils
101705C	Blue	On request	3 m bars
101705	Blue	On request	6 m bars
101705-30	Blue	On request	30 m coils
101702C	Green	On request	3 m bars
101702	Green	On request	6 m bars
101702-30	Green	On request	30 m coils

1018 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
101800BC	BluLub	On request	3 m bars
101800B	BluLub	On request	6 m bars
101800-30	BluLub	On request	30 m coils
101803C	Ti-White	Stock item	3 m bars
101803	Ti-White	On request	6 m bars
101803-30	Ti-White	On request	30 m coils
101805C	Blue	On request	3 m bars
101805	Blue	On request	6 m bars
101805-30	Blue	On request	30 m coils

1019 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
101900BC	BluLub	On request	3 m bars
101900B	BluLub	On request	6 m bars
101900B-30	BluLub	On request	30 m coils
101903C	Ti-White	Stock item	3 m bars
101903	Ti-White	On request	6 m bars
101903-30	Ti-White	On request	30 m coils
101905C	Blue	On request	3 m bars
101905	Blue	On request	6 m bars
101905-30	Blue	On request	30 m coils

1020 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
102000BC	BluLub	On request	3 m bars
102000B	BluLub	On request	6 m bars
102003C	Ti-White	Stock item	3 m bars
102003	Ti-White	Stock item	6 m bars
102001C	Black	On request	3 m bars
102001	Black	On request	6 m bars
102005C	Blue	On request	3 m bars
102005	Blue	On request	6 m bars
102002C	Green	On request	3 m bars
102002	Green	On request	6 m bars

1091 J-Profile

Fit on 3 mm | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
109100B-30	BluLub	Stock item	30 m coils
109103-30	Ti-White	On request	30 m coils
109105-30	Blue	On request	30 m coils

1068 J-Profile

Fit on 1,8 to 2 mm | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
106800B	BluLub	Stock item	30 m coils
106802	Ti-White	On request	30 m coils
106805	Blue	On request	30 m coils

1090 J-Profile

Fit on 3 mm | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
109000B	BluLub	On request	30 m coils
109002	Ti-White	On request	30 m coils
109005	Blue	On request	30 m coils

1021 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
102100BC	BluLub	On request	3 m bars
102100B	BluLub	On request	6 m bars
102100B-30	BluLub	On request	30 m coils
102103C	Ti-White	Stock item	3 m bars
102103	Ti-White	On request	6 m bars
102103-30	Ti-White	Stock item	30 m coils
102101C	Black	On request	3 m bars
102101	Black	On request	6 m bars
102101-30	Black	On request	30 m coils
102105C	Blue	On request	3 m bars
102105	Blue	On request	6 m bars
102105-30	Blue	On request	30 m coils
102102C	Green	On request	3 m bars
102102	Green	On request	6 m bars
102102-30	Green	On request	30 m coils

1022 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
102200BC	BluLub	On request	3 m bars
102200B	BluLub	On request	6 m bars
102200B-30	BluLub	On request	30 m coils
102203C	Ti-White	Stock item	3 m bars
102203	Ti-White	On request	6 m bars
102203-30	Ti-White	On request	30 m coils
102205C	Blue	On request	3 m bars
102205	Blue	On request	6 m bars
102205-30	Blue	On request	30 m coils

1023 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
102300BC	BluLub	On request	3 m bars
102300B	BluLub	On request	6 m bars
102303C	Ti-White	Stock item	3 m bars
102303	Ti-White	On request	6 m bars
102305C	Blue	On request	3 m bars
102305	Blue	On request	6 m bars

1024 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
102400BC	BluLub	On request	3 m bars
102400B	BluLub	On request	6 m bars
102400B-30	BluLub	On request	30 m coils
102403C	Ti-White	Stock item	3 m bars
102403	Ti-White	On request	6 m bars
102403-30	Ti-White	Stock item	30 m coils
102401C	Black	On request	3 m bars
102401	Black	On request	6 m bars
102401-30	Black	On request	30 m coils
102405C	Blue	On request	3 m bars
102405	Blue	On request	6 m bars
102405-30	Blue	On request	30 m coils
102402C	Green	Stock item	3 m bars
102402	Green	Stock item	6 m bars
102402-30	Green	On request	30 m coils

1025 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
102500BC	BluLub	On request	3 m bars
102500B	BluLub	On request	6 m bars
102500B-30	BluLub	On request	30 m coils
102503C	Ti-White	Stock item	3 m bars
102503	Ti-White	On request	6 m bars
102503-30	Ti-White	Stock item	30 m coils
102501C	Black	On request	3 m bars
102501	Black	On request	6 m bars
102501-30	Black	On request	30 m coils
102505C	Blue	On request	3 m bars
102505	Blue	On request	6 m bars
102505-30	Blue	On request	30 m coils
102502C	Green	On request	3 m bars
102502	Green	On request	6 m bars
102502-30	Green	On request	30 m coils

1026 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
102600BC	BluLub	On request	3 m bars
102600B	BluLub	On request	6 m bars
102600B-30	BluLub	On request	30 m coils
102603C	Ti-White	Stock item	3 m bars
102603	Ti-White	On request	6 m bars
102603-30	Ti-White	On request	30 m coils
102605C	Blue	On request	3 m bars
102605	Blue	On request	6 m bars
102605-30	Blue	On request	30 m coils

1027 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
102700BC	BluLub	On request	3 m bars
102700B	BluLub	On request	6 m bars
102704-30	BluLub	On request	30 m coils
102703C	Ti-White	Stock item	3 m bars
102703	Ti-White	On request	6 m bars
102703-30	Ti-White	On request	30 m coils
102705C	Blue	On request	3 m bars
102705	Blue	On request	6 m bars
102705-30	Blue	On request	30 m coils

1028 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
102800BC	BluLub	On request	3 m bars
102800B	BluLub	On request	6 m bars
102804-30	BluLub	On request	30 m coils
102803C	Ti-White	Stock item	3 m bars
102803	Ti-White	On request	6 m bars
102803-30	Ti-White	Stock item	30 m coils
102805C	Blue	On request	3 m bars
102805	Blue	On request	6 m bars
102805-30	Blue	On request	30 m coils

1046 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
104600BC	BluLub	On request	3 m bars
104600B	BluLub	On request	6 m bars
104600B-30	BluLub	Stock item	30 m coils
104603C	Ti-White	Stock item	3 m bars
104603	Ti-White	On request	6 m bars
104603-30	Ti-White	Stock item	30 m coils
104601C	Black	On request	3 m bars
104601	Black	On request	6 m bars
104601-30	Black	On request	30 m coils
104605C	Blue	On request	3 m bars
104605	Blue	On request	6 m bars
104605-30	Blue	On request	30 m coils
104602C	Green	Stock item	3 m bars
104602	Green	On request	6 m bars
104602-30	Green	Stock item	30 m coils

1029 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
102900BC	BluLub	On request	3 m bars
102900B	BluLub	On request	6 m bars
102900B-30	BluLub	On request	30 m coils
102903C	Ti-White	Stock item	3 m bars
102903	Ti-White	On request	6 m bars
102903-30	Ti-White	On request	30 m coils
102905C	Blue	On request	3 m bars
102905	Blue	On request	6 m bars
102905-30	Blue	On request	30 m coils

1030 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
103000BC	BluLub	On request	3 m bars
103000B	BluLub	On request	6 m bars
103003C	Ti-White	Stock item	3 m bars
103003	Ti-White	On request	6 m bars
103005C	Blue	On request	3 m bars
103005	Blue	On request	6 m bars

1031 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
103100BC	BluLub	Stock item	3 m bars
103100B	BluLub	On request	6 m bars
103103C	Ti-White	Stock item	3 m bars
103103	Ti-White	Stock item	6 m bars
103105C	Blue	On request	3 m bars
103105	Blue	On request	6 m bars

1032 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
103200BC	BluLub	On request	3 m bars
103200B	BluLub	On request	6 m bars
103203C	Ti-White	Stock item	3 m bars
103203	Ti-White	On request	6 m bars
103205C	Blue	On request	3 m bars
103205	Blue	On request	6 m bars

1035 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
103500BC	BluLub	On request	3 m bars
103500B	BluLub	On request	6 m bars
103503C	Ti-White	Stock item	3 m bars
103503	Ti-White	On request	6 m bars
103505C	Blue	On request	3 m bars
103505	Blue	On request	6 m bars

1033 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
103300BC	BluLub	Stock item	3 m bars
103300B	BluLub	On request	6 m bars
103303C	Ti-White	Stock item	3 m bars
103303	Ti-White	On request	6 m bars
103305C	Blue	On request	3 m bars
103305	Blue	On request	6 m bars

1034 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
103400BC	BluLub	On request	3 m bars
103400B	BluLub	On request	6 m bars
103403C	Ti-White	Stock item	3 m bars
103403	Ti-White	On request	6 m bars
103405C	Blue	On request	3 m bars
103405	Blue	On request	6 m bars


109 U-Profile

Material: **BluLub**, **Ti-White**, standard **UHMW-PE** and **AS** Antistatic

Delivery: **Easy**
Standard



Can be used in combination with **Part 112/147**
Pag 41





Article-Nr.	Material	Availability	Supply
10901BC	BluLub	Stock item	3 m bars
10901B	BluLub	On request	6 m bars
10901B-30	BluLub	On request	30 m coils
10903C	Ti-White	Stock item	3 m bars
10903	Ti-White	Stock item	6 m bars
10903-30	Ti-White	On request	30 m coils
10901C	Black	Stock item	3 m bars
10901	Black	Stock item	6 m bars
10901-30	Black	Stock item	30 m coils
10905C	Blue	On request	3 m bars
10905	Blue	On request	6 m bars
10905-30	Blue	On request	30 m coils
10902C	Green	Stock item	3 m bars
10902	Green	Stock item	6 m bars
10902-30	Green	On request	30 m coils
10901AC	AS	Stock item	3 m bars
10901A	AS	Stock item	6 m bars


1111 U-Profile

Material: **BluLub**, **Ti-White**, standard **UHMW-PE** and **AS** Antistatic

Delivery: **Easy**
Standard



Can **NOT** be used in combination with **Part 112/147**





Article-Nr.	Material	Availability	Supply
111101BC	BluLub	Stock item	3 m bars
111101B	BluLub	On request	6 m bars
111101B-30	BluLub	On request	30 m coils
111103C	Ti-White	Stock item	3 m bars
111103	Ti-White	Stock item	6 m bars
111103-30	Ti-White	On request	30 m coils
111101C	Black	Stock item	3 m bars
111101	Black	Stock item	6 m bars
111101-30	Black	Stock item	30 m coils
111105C	Blue	On request	3 m bars
111105	Blue	On request	6 m bars
111105-30	Blue	On request	30 m coils
111102C	Green	Stock item	3 m bars
111102	Green	Stock item	6 m bars
111102-30	Green	On request	30 m coils
111101AC	AS	Stock item	3 m bars
111101A	AS	Stock item	6 m bars


110 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Can be used in combination with **Part 112/147**
Pag 41





Article-Nr.	Material	Availability	Supply
11000BC	BluLub	On request	3 m bars
11000B	BluLub	On request	6 m bars
11000B-30	BluLub	On request	30 m coils
11003C	Ti-White	On request	3 m bars
11003	Ti-White	On request	6 m bars
11003-30	Ti-White	On request	30 m coils
11001C	Black	Stock item	3 m bars
11001	Black	On request	6 m bars
11001-30	Black	On request	30 m coils
11005C	Blue	On request	3 m bars
11005	Blue	On request	6 m bars
11005-30	Blue	On request	30 m coils
11002C	Green	Stock item	3 m bars
11002	Green	On request	6 m bars
11002-30	Green	On request	30 m coils



156 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Can be used
in combination with
Part 112/147
Pag 41





Article-Nr.	Material	Availability	Supply
15601BC	BluLub	On request	3 m bars
15601B	BluLub	On request	6 m bars
15603C	Ti-White	On request	3 m bars
15603	Ti-White	On request	6 m bars
15601C	Black	Stock item	3 m bars
15601	Black	On request	6 m bars
15605C	Blue	On request	3 m bars
15605	Blue	On request	6 m bars
15602C	Green	Stock item	3 m bars
15602	Green	On request	6 m bars
Article-Nr.	Material	Availability	Supply
15699BC	BluLub	Stock item	3 m bars
15699WC	Ti-White	On request	3 m bars
15699NC	Black	On request	3 m bars
15695C	Blue	On request	3 m bars
15699C	Green	Stock item	3 m bars

149 U-Profile with nose

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
14950BC	BluLub	On request	3 m bars
14950B	BluLub	On request	6 m bars
14953C	Ti-White	On request	3 m bars
14953	Ti-White	On request	6 m bars
14950C	Black	Stock item	3 m bars
14950	Black	On request	6 m bars
14955C	Blue	On request	3 m bars
14955	Blue	On request	6 m bars
14952C	Green	Stock item	3 m bars
14952	Green	On request	6 m bars

177 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
17701BC	BluLub	Stock item	3 m bars
17701B	BluLub	On request	6 m bars
17701B-30	BluLub	On request	30 m coils
17703C	Ti-White	On request	3 m bars
17703	Ti-White	On request	6 m bars
17703-30	Ti-White	On request	30 m coils
17701C	Black	Stock item	3 m bars
17701	Black	Stock item	6 m bars
17701-30	Black	On request	30 m coils
17705C	Blue	On request	3 m bars
17705	Blue	On request	6 m bars
17705-30	Blue	On request	30 m coils
17702C	Green	Stock item	3 m bars
17702	Green	On request	6 m bars
17702-30	Green	On request	30 m coils

1059

U-Profile

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
105901BC	BluLub	Stock item	3 m bars
105901B	BluLub	On request	6 m bars
105901B-30	BluLub	On request	30 m coils
105903C	Ti-White	On request	3 m bars
105903	Ti-White	On request	6 m bars
105903-30	Ti-White	On request	30 m coils
105901C	Black	Stock item	3 m bars
105901	Black	On request	6 m bars
105901-30	Black	On request	30 m coils
105905C	Blue	On request	3 m bars
105905	Blue	On request	6 m bars
105905-30	Blue	On request	30 m coils
105902C	Green	Stock item	3 m bars
105902	Green	On request	6 m bars
105902-30	Green	On request	30 m coils

178

U-Profile

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
17801BC	BluLub	Stock item	3 m bars
17801B	BluLub	On request	6 m bars
17801B-30	BluLub	Stock item	30 m coils
17803C	Ti-White	On request	3 m bars
17803	Ti-White	On request	6 m bars
17803-30	Ti-White	Stock item	30 m coils
17801C	Black	Stock item	3 m bars
17801	Black	On request	6 m bars
17801-30	Black	On request	30 m coils
17805C	Blue	On request	3 m bars
17805	Blue	On request	6 m bars
17805-30	Blue	On request	30 m coils
17802C	Green	Stock item	3 m bars
17802	Green	On request	6 m bars
17802-30	Green	Stock item	30 m coils

111

U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
11101BC	BluLub	Stock item	3 m bars
11101B	BluLub	On request	6 m bars
11101B-30	BluLub	On request	30 m coils
11103C	Ti-White	On request	3 m bars
11103	Ti-White	On request	6 m bars
11103-30	Ti-White	On request	30 m coils
11101C	Black	Stock item	3 m bars
11101	Black	Stock item	6 m bars
11101-30	Black	Stock item	30 m coils
11105C	Blue	On request	3 m bars
11105	Blue	On request	6 m bars
11105-30	Blue	On request	30 m coils
11102C	Green	Stock item	3 m bars
11102	Green	Stock item	6 m bars
11102-30	Green	On request	30 m coils

1060 U-Profile

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
106000BC	BluLub	On request	3 m bars
106000B	BluLub	On request	6 m bars
106003C	Ti-White	On request	3 m bars
106003	Ti-White	On request	6 m bars
106001C	Black	Stock item	3 m bars
106001	Black	On request	6 m bars
106005C	Blue	On request	3 m bars
106005	Blue	On request	6 m bars
106002C	Green	Stock item	3 m bars
106002	Green	Stock item	6 m bars

199 U-Profile

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
19976BC	BluLub	On request	3 m bars
19976B	BluLub	On request	6 m bars
19976C	Ti-White	Stock item	3 m bars
19976	Ti-White	On request	6 m bars
19976BLC	Blue	On request	3 m bars
19976BL	Blue	On request	6 m bars

199 U-Profile



Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
19944B-30	BluLub	Stock item	30 m coils
19944W-30	Ti-White	On request	30 m coils
19944-30	Black	On request	30 m coils
19944BL-30	Blue	On request	30 m coils
19940-30	Green	Stock item	30 m coils

Staggered version





Article-Nr.	Material	Availability	Supply
19945B-30	BluLub	Stock item	30 m coils
19945W-30	Ti-White	On request	30 m coils
19945-30	Black	Stock item	30 m coils
19945BL-30	Blue	On request	30 m coils
19946-30	Green	Stock item	30 m coils

1080 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
108000C	BluLub	On request	3 m bars
108003C	Ti-White	On request	3 m bars
108001C	Black	On request	3 m bars
108005C	Blue	On request	3 m bars
108002C	Green	On request	3 m bars

1081 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
108100BC	BluLub	On request	3 m bars
108100B	BluLub	On request	6 m bars
108103C	Ti-White	On request	3 m bars
108103	Ti-White	On request	6 m bars
108101C	Black	On request	3 m bars
108101	Black	On request	6 m bars
108105C	Blue	On request	3 m bars
108105	Blue	On request	6 m bars
108102C	Green	On request	3 m bars
108102	Green	On request	6 m bars

133 U-Profile assembled clip-on

Material: **BluLub**, **Ti-White**, standard **UHMW-PE** and **AS** Antistatic + Stainless steel

Delivery: **Easy**
Standard





Article-Nr.	Material	Metal	Availability	Supply
13305BC	BluLub	AISI 304	Stock item	3 m bars
13305B	BluLub	AISI 304	On request	6 m bars
13307C	Ti-White	AISI 304	On request	3 m bars
13307	Ti-White	AISI 304	On request	6 m bars
13303C	Black	AISI 304	Stock item	3 m bars
13303	Black	AISI 304	On request	6 m bars
13303BLC	Blue	AISI 304	On request	3 m bars
13303BL	Blue	AISI 304	On request	6 m bars
13301C	Green	AISI 304	Stock item	3 m bars
13301	Green	AISI 304	On request	6 m bars
13303AC	AS	AISI 304	Stock item	3 m bars
13303A	AS	AISI 304	On request	6 m bars

Article-Nr.	Material	Metal	Availability	Supply
13306BC	BluLub	AISI 430	Stock item	3 m bars
13306B	BluLub	AISI 430	On request	6 m bars
13308C	Ti-White	AISI 430	On request	3 m bars
13308	Ti-White	AISI 430	On request	6 m bars
13304C	Black	AISI 430	Stock item	3 m bars
13304	Black	AISI 430	On request	6 m bars
13304BLC	Blue	AISI 430	On request	3 m bars
13304BL	Blue	AISI 430	On request	6 m bars
13302C	Green	AISI 430	Stock item	3 m bars
13302	Green	AISI 430	On request	6 m bars
13304AC	AS	AISI 430	Stock item	3 m bars
13304A	AS	AISI 430	On request	6 m bars

148 U-Profile assembled clip-on

Material: **BluLub**, **Ti-White**, standard **UHMW-PE** and **AS Antistatic** + Aluminium

Delivery: **Easy**
Standard





Article-Nr.	Material	Metal	Availability	Supply
14801BC	BluLub	Aluminium	Stock item	3 m bars
14801B	BluLub	Aluminium	On request	6 m bars
14803C	Ti-White	Aluminium	Stock item	3 m bars
14803	Ti-White	Aluminium	On request	6 m bars
14802C	Black	Aluminium	Stock item	3 m bars
14802	Black	Aluminium	On request	6 m bars
14805C	Blue	Aluminium	On request	3 m bars
14805	Blue	Aluminium	On request	6 m bars
14801C	Green	Aluminium	Stock item	3 m bars
14801	Green	Aluminium	On request	6 m bars
14802AC	AS	Aluminium	Stock item	3 m bars
14802A	AS	Aluminium	On request	6 m bars

157 U-Profile assembled clip-on

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel

Delivery: **Easy**
Standard





Article-Nr.	Material	Metal	Availability	Supply
15700BC	BluLub	AISI 304	On request	3 m bars
15700B	BluLub	AISI 304	On request	6 m bars
15703C	Ti-White	AISI 304	On request	3 m bars
15703	Ti-White	AISI 304	On request	6 m bars
15704C	Black	AISI 304	On request	3 m bars
15704	Black	AISI 304	On request	6 m bars
15705C	Blue	AISI 304	On request	3 m bars
15705	Blue	AISI 304	On request	6 m bars
15701C	Green	AISI 304	Stock item	3 m bars
15701C	Green	AISI 304	On request	6 m bars
15706BC	BluLub	AISI 430	On request	3 m bars
15706B	BluLub	AISI 430	On request	6 m bars
15707C	Ti-White	AISI 430	On request	3 m bars
15707	Ti-White	AISI 430	On request	6 m bars
15708C	Black	AISI 430	On request	3 m bars
15708	Black	AISI 430	On request	6 m bars
15706C	Blue	AISI 430	On request	3 m bars
15706	Blue	AISI 430	On request	6 m bars
15702C	Green	AISI 430	Stock item	3 m bars
15702	Green	AISI 430	On request	6 m bars

157 U-Profile assembled clip-on

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel

Delivery: **Easy**
Standard





Article-Nr.	Material	Metal	Availability	Supply
15799BC	BluLub	AISI 304	On request	3 m bars
15799WC	Ti-White	AISI 304	On request	3 m bars
15799NC	Black	AISI 304	On request	3 m bars
15799BLC	Blue	AISI 304	On request	3 m bars
15799C	Green	AISI 304	On request	3 m bars

118

Stainless steel profile for U-profile

Material: Stainless steel

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
11801C	AISI 304	Stock item	3 m bars
11801	AISI 304	Stock item	6 m bars
11802C	AISI 430	Stock item	3 m bars
11802	AISI 430	On request	6 m bars

112

Stainless steel profile for U-profile

Material: Stainless steel

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
11201C	AISI 304	Stock item	3 m bars
11201	AISI 304	Stock item	6 m bars
11202C	AISI 430	Stock item	3 m bars
11202	AISI 430	Stock item	6 m bars

Part 362
Pag 104

Part 1097
Pag 104

Profile cover
301401



Example of application

147

Aluminum profile for U-profile

Material: Aluminum

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
14701C	Aluminum	Stock item	3 m bars
14701	Aluminum	Stock item	6 m bars

Used with
Bolt M8

Part 1097
Pag 104

Profile cover
301402



Example of application

1041

C-Profile

Fit on 25 x 5 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
104100BC	BluLub	On request	3 m bars
104100B	BluLub	On request	6 m bars
104103C	Ti-White	Stock item	3 m bars
104103	Ti-White	On request	6 m bars
104105C	Blue	On request	3 m bars
104105	Blue	On request	6 m bars
104102C	Green	On request	3 m bars
104102	Green	On request	6 m bars

1082 C-Profile

Fit on 38.1 x 6.35 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
108200BC	BluLub	On request	3 m bars
108200B	BluLub	On request	6 m bars
108203C	Ti-White	On request	3 m bars
108203	Ti-White	On request	6 m bars
108205C	Blue	On request	3 m bars
108205	Blue	On request	6 m bars

1044 C-Profile

Fit on 38,1 x 12,7 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
104400BC	BluLub	On request	3 m bars
104400B	BluLub	On request	6 m bars
104403C	Ti-White	Stock item	3 m bars
104403	Ti-White	On request	6 m bars
104405C	Blue	On request	3 m bars
104405	Blue	On request	6 m bars

1053 C-Profile

Fit on 38,1 x 6,35 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
105300BC	BluLub	On request	3 m bars
105300B	BluLub	On request	6 m bars
105303C	Ti-White	Stock item	3 m bars
105303	Ti-White	On request	6 m bars
105305C	Blue	On request	3 m bars
105305	Blue	On request	6 m bars

1054 C-Profile

Fit on 38,1 x 6,35 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
105400BC	BluLub	On request	3 m bars
105400B	BluLub	On request	6 m bars
105403C	Ti-White	Stock item	3 m bars
105403	Ti-White	On request	6 m bars
105405C	Blue	On request	3 m bars
105405	Blue	On request	6 m bars

1101

C-Profile

Fit on 40 x 6 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
110100BC	BluLub	On request	3 m bars
110100B	BluLub	On request	6 m bars
110103C	Ti-White	Stock item	3 m bars
110103	Ti-White	On request	6 m bars
110105C	Blue	On request	3 m bars
110105	Blue	On request	6 m bars

137

C-Profile



Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Fit on 40 x 8 mm

Article-Nr.	Material	Availability	Supply
13701BC	BluLub	Stock item	3 m bars
13701B	BluLub	On request	6 m bars
13703C	Ti-White	Stock item	3 m bars
13703	Ti-White	On request	6 m bars
13702C	Black	Stock item	3 m bars
13702	Black	On request	6 m bars
13705C	Blue	On request	3 m bars
13705	Blue	On request	6 m bars
13701C	Green	Stock item	3 m bars
13701	Green	Stock item	6 m bars



Fit on 40 x 10 mm

Article-Nr.	Material	Availability	Supply
13711BC	BluLub	Stock item	3 m bars
13711B	BluLub	On request	6 m bars
13713C	Ti-White	On request	3 m bars
13713	Ti-White	On request	6 m bars
13712C	Black	On request	3 m bars
13712	Black	On request	6 m bars
13715C	Blue	On request	3 m bars
13715	Blue	On request	6 m bars
13711C	Green	Stock item	3 m bars
13711	Green	Stock item	6 m bars





Fit on 40 x 8 mm

Article-Nr.	Material	Availability	Supply
13720BC	BluLub	On request	3 m bars
13720B	BluLub	On request	6 m bars
13720C	Ti-White	On request	3 m bars
13720	Ti-White	On request	6 m bars
13725C	Blue	On request	3 m bars
13725	Blue	On request	6 m bars

1042 C-Profile

Fit on 50 x 6 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
104200BC	BluLub	On request	3 m bars
104200B	BluLub	On request	6 m bars
104203C	Ti-White	Stock item	3 m bars
104203	Ti-White	On request	6 m bars
104205C	Blue	On request	3 m bars
104205	Blue	On request	6 m bars
104201C	Green	On request	3 m bars
104201	Green	On request	6 m bars

1045 C-Profile

Fit on 50,8 x 12,7 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
104500BC	BluLub	On request	3 m bars
104500B	BluLub	On request	6 m bars
104503C	Ti-White	On request	3 m bars
104503	Ti-White	On request	6 m bars
104505C	Blue	On request	3 m bars
104505	Blue	On request	6 m bars

158 C-Profile

Fit on 50 x 6 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
15800BC	BluLub	Stock item	3 m bars
15894C	Ti-White	On request	3 m bars
15898C	Black	Stock item	3 m bars
15894BLC	Blue	On request	3 m bars
15897C	Green	Stock item	3 m bars
15800C	Grey	Stock item	3 m bars

1102 C-Profile

Fit on 80 x 5 mm | Material: *BluLub, Ti-White* and standard *UHMW-PE*

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
110200BC	<i>BluLub</i>	On request	3 m bars
110200B	<i>BluLub</i>	On request	6 m bars
110203C	<i>Ti-White</i>	On request	3 m bars
110203	<i>Ti-White</i>	On request	6 m bars
110205C	Blue	On request	3 m bars
110205	Blue	On request	6 m bars

1107 C-Profile

Fit on 90 x 12 mm | Material: *BluLub, Ti-White* and standard *UHMW-PE*

Delivery: **Easy**
Standard









Article-Nr.	Material	Availability	Supply
P110700BC	<i>BluLub</i>	On request	3 m bars
P110703C	<i>Ti-White</i>	On request	3 m bars
P110701C	Black	On request	3 m bars
P110705C	Blue	On request	3 m bars

163 C-Profile


Coils available | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Article-Nr.	Material	A	Availability	Supply
16303BC	BluLub	25,4	Stock item	3 m bars
16303B	BluLub	25,4	On request	6 m bars
16303B-30	BluLub	25,4	Stock item	30 m coils
16313BC	BluLub	31,75	On request	3 m bars
16313B	BluLub	31,75	On request	6 m bars
16313B-30	BluLub	31,75	On request	30 m coils
16323BC	BluLub	35	On request	3 m bars
16323B	BluLub	35	On request	6 m bars
16323B-30	BluLub	35	On request	30 m coils
16324BC	BluLub	38,1	On request	3 m bars
16324B	BluLub	38,1	On request	6 m bars
16324B-30	BluLub	38,1	On request	30 m coils
16325BC	BluLub	54,1	On request	3 m bars
16325B	BluLub	54,1	On request	6 m bars
16325B-30	BluLub	54,1	On request	30 m coils
16303C	Ti-White	25,4	Stock item	3 m bars
16303	Ti-White	25,4	On request	6 m bars
16303-30	Ti-White	25,4	Stock item	30 m coils
16313C	Ti-White	31,75	Stock item	3 m bars
16313	Ti-White	31,75	On request	6 m bars
16313-30	Ti-White	31,75	On request	30 m coils
16323C	Ti-White	35	Stock item	3 m bars
16323	Ti-White	35	On request	6 m bars
16323-30	Ti-White	35	On request	30 m coils
16324C	Ti-White	38,1	Stock item	3 m bars
16324	Ti-White	38,1	Stock item	6 m bars
16324-30	Ti-White	38,1	On request	30 m coils
16325C	Ti-White	54,1	On request	3 m bars
16325	Ti-White	54,1	On request	6 m bars
16325-30	Ti-White	54,1	On request	30 m coils
16303BLC	Blue	25,4	On request	3 m bars
16303BL	Blue	25,4	On request	6 m bars
16303BL-30	Blue	25,4	On request	30 m coils
16313BLC	Blue	31,75	On request	3 m bars
16313BL	Blue	31,75	On request	6 m bars
16313BL-30	Blue	31,75	On request	30 m coils
16323BLC	Blue	35	On request	3 m bars
16323BL	Blue	35	On request	6 m bars
16323BL-30	Blue	35	On request	30 m coils
16324BLC	Blue	38,1	On request	3 m bars
16324BL	Blue	38,1	On request	6 m bars
16324BL-30	Blue	38,1	On request	30 m coils
16325BLC	Blue	54,1	On request	3 m bars
16325BL	Blue	54,1	On request	6 m bars
16325BL-30	Blue	54,1	On request	30 m coils



Used with
Part 164/165
Pag 49



160 C-Profile


Material: *BluLub, Ti-White* and standard *UHMW-PE*

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
16003BC	<i>BluLub</i>	Stock item	3 m bars
16003B	<i>BluLub</i>	On request	6 m bars
16003B-30	<i>BluLub</i>	Stock item	30 m coils
16003C	<i>Ti-White</i>	Stock item	3 m bars
16003	<i>Ti-White</i>	Stock item	6 m bars
16003-30	<i>Ti-White</i>	Stock item	30 m coils
16005C	Blue	On request	3 m bars
16005	Blue	On request	6 m bars
16005-30	Blue	On request	30 m coils



Used with
Part 164/165
Pag 49



161 C-Profile


Coils available | Material: *BluLub, Ti-White* and standard *UHMW-PE*

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
16103BC	<i>BluLub</i>	On request	3 m bars
16103B	<i>BluLub</i>	On request	6 m bars
16103B-30	<i>BluLub</i>	Stock item	30 m coils
16103C	<i>Ti-White</i>	Stock item	3 m bars
16103	<i>Ti-White</i>	Stock item	6 m bars
16103-30	<i>Ti-White</i>	Stock item	30 m coils
16105C	Blue	On request	3 m bars
16105	Blue	On request	6 m bars
16105-30	Blue	On request	30 m coils



Used with
Part 164/165
Pag 49



1092 C-Profile


Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
109200BC	BluLub	On request	3 m bars
109200B	BluLub	On request	6 m bars
109203C	Ti-White	On request	3 m bars
109203	Ti-White	On request	6 m bars
109205C	Blue	On request	3 m bars
109205	Blue	On request	6 m bars



Used with
Part 164/165
Pag 49



162 C-Profile


Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
16202BC	BluLub	Stock item	3 m bars
16202B	BluLub	On request	6 m bars
16202B-30	BluLub	Stock item	30 m coils
16203C	Ti-White	Stock item	3 m bars
16203	Ti-White	On request	6 m bars
16203-30	Ti-White	Stock item	30 m coils
16205C	Blue	On request	3 m bars
16205	Blue	On request	6 m bars
16205-30	Blue	On request	30 m coils
16202C	Green	Stock item	3 m bars
16202	Green	On request	6 m bars
16202-30	Green	Stock item	30 m coils



Used with
PART 164/165
Pag 49



164 Aluminum guide

Material: Aluminum

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply	Box
16401C	Aluminum	Stock item	3 m bars	60 pcs
16401	Aluminum	Stock item	6 m bars	60 pcs



Used with
Part 362 Pag 104
Part 1097 Pag 104



165 Aluminum guide

Material: Aluminum

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply	Box
16501C	Aluminum	Stock item	3 m bars	60 pcs
16501	Aluminum	Stock item	6 m bars	60 pcs



Used with
Part 362 Pag 104
Part 1097 Pag 104



1039 C-Profile for steel rods

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
103923BC	BluLub	On request	3 m bars
103923B	BluLub	On request	6 m bars
103923B-30	BluLub	Stock item	30 m coils
103923B-60	BluLub	On request	60 m coils
103923C	Ti-White	Stock item	3 m bars
103923	Ti-White	On request	6 m bars
103923-30	Ti-White	Stock item	30 m coils
103923-60	Ti-White	Stock item	60 m coils
103925C	Blue	On request	3 m bars
103925	Blue	On request	6 m bars
103925-30	Blue	On request	30 m coils
103925-60	Blue	On request	60 m coils

1083 C-Profile for steel rods

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
108300BC	BluLub	On request	3 m bars
108300B	BluLub	On request	6 m bars
108300B-30	BluLub	On request	30 m coils
108300B-60	BluLub	On request	60 m coils
108303C	Ti-White	On request	3 m bars
108303	Ti-White	On request	6 m bars
108303-30	Ti-White	On request	30 m coils
108303-60	Ti-White	On request	60 m coils
108305C	Blue	On request	3 m bars
108305	Blue	On request	6 m bars
108305-30	Blue	On request	30 m coils
108305-60	Blue	On request	60 m coils

166 C-Profile for steel rods

Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	A	B	C	Material	Availability	Supply
16601B	8	12	0.5	BluLub	Stock item	30 m coils
16602B	10	14	0.5	BluLub	On request	30 m coils
16603B	12	16	1	BluLub	On request	30 m coils
16604B	16	20	1.5	BluLub	On request	30 m coils
16601	8	12	0.5	Ti-White	Stock item	30 m coils
16602	10	14	0.5	Ti-White	Stock item	30 m coils
16603	12	16	1	Ti-White	Stock item	30 m coils
16604	16	20	1.5	Ti-White	Stock item	30 m coils
16601BL	8	12	0.5	Blue	On request	30 m coils
16602BL	10	14	0.5	Blue	On request	30 m coils
16603BL	12	16	1	Blue	On request	30 m coils
16604BL	16	20	1.5	Blue	On request	30 m coils

154 Side guide rail

Material: **BluLub, Ti-White** and standard **UHMW-PE** + Aluminum

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
15401BC	BluLub	Stock item	3 m bars
15401B	BluLub	On request	6 m bars
15401C	Ti-White	On request	3 m bars
15401	Ti-White	On request	6 m bars
15405C	Blue	On request	3 m bars
15405	Blue	On request	6 m bars
15402C	Green	On request	3 m bars
15402	Green	On request	6 m bars

Only plastic profile

Article-Nr.	Material	Availability	Supply
15451B-30	BluLub	On request	30 m coils
15451-30	Ti-White	On request	30 m coils
15455-30	Blue	On request	30 m coils
15452-30	Green	On request	30 m coils



Used with **M8**
Hex head bolt



155 Side guide rail

Material: **BluLub, Ti-White** and standard **UHMW-PE** + Aluminum

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
15500BC	BluLub	On request	3 m bars
15503C	Ti-White	On request	3 m bars
15505C	Blue	On request	3 m bars
15501C	Green	On request	3 m bars

Only plastic profile

Article-Nr.	Material	Availability	Supply
15550BC	BluLub	On request	3 m bars
15553C	Ti-White	On request	3 m bars
15555C	Blue	On request	3 m bars
15551C	Green	On request	3 m bars



Used with
Part 362 Pag 104
Part 1097 Pag 104



134 Side guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
13400BC	BluLub	On request	3 m bars
13400B	BluLub	On request	6 m bars
13403C	Ti-White	On request	3 m bars
13403	Ti-White	On request	6 m bars
13405C	Blue	On request	3 m bars
13405	Blue	On request	6 m bars
13401C	Green	Stock item	3 m bars
13401	Green	On request	6 m bars



Only plastic profile

Article-Nr.	Material	Availability	Supply
13450BC	BluLub	On request	3 m bars
13451C	Ti-White	On request	3 m bars
13453C	Blue	On request	3 m bars
13455C	Green	On request	3 m bars

199 Transfer plate

Fit on 3 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
19960B	BluLub	Stock item	1,5 m bars
19960	Black	Stock item	1,5 m bars


238-228-235 Nosebar

Material: **BluLub**


Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
2381500	BluLub	On request	1,5 m bars



Article-Nr.	Material	Availability	Supply
2281500	BluLub	On request	1,5 m bars





Article-Nr.	Material	Availability	Supply
2351500	BluLub	On request	1,5 m bars

1000 Bar cap

Fit on 1,5 mm (1/16") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
100000B-30	BluLub	On request	30 m coils
100003-30	Ti-White	Stock item	30 m coils
100005-30	Blue	On request	30 m coils

1001 Bar cap

Fit on 1,5 mm (1/16") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
100103B-30	BluLub	Stock item	30 m coils
100103-30	Ti-White	Stock item	30 m coils
100105-30	Blue	On request	30 m coils

1002 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
100200B-30	BluLub	On request	30 m coils
100203-30	Ti-White	Stock item	30 m coils
100205-30	Blue	On request	30 m coils

1109 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
110900B-30	BluLub	On request	30 m coils
110903-30	Ti-White	On request	30 m coils
110905-30	Blue	On request	30 m coils

1003 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
100300B-30	BluLub	On request	30 m coils
100303-30	Ti-White	Stock item	30 m coils
100305-30	Blue	On request	30 m coils

1004 Bar cap

Fit on 3 mm | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
100400B-30	BluLub	On request	30 m coils
100403-30	Ti-White	Stock item	30 m coils
100405-30	Blue	On request	30 m coils

1084 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
108400BC	BluLub	On request	3 m bars
108400B	BluLub	On request	6 m bars
108400B-30	BluLub	On request	30 m coils
108403C	Ti-White	On request	3 m bars
108403	Ti-White	On request	6 m bars
108403-30	Ti-White	On request	30 m coils
108405C	Blue	On request	3 m bars
108405	Blue	On request	6 m bars
108405-30	Blue	On request	30 m coils

1085 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
108500BC	BluLub	On request	3 m bars
108500B	BluLub	On request	6 m bars
108500B-30	BluLub	On request	30 m coils
108503C	Ti-White	On request	3 m bars
108503	Ti-White	On request	6 m bars
108503-30	Ti-White	On request	30 m coils
108505C	Blue	On request	3 m bars
108505	Blue	On request	6 m bars
108505-30	Blue	On request	30 m coils

153 Bar cap

Fit on 4/5 mm (3/16") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
15300C	BluLub	Stock item	3 m bars
15300	BluLub	On request	6 m bars
15300-30	BluLub	Stock item	30 m coils
15303C	Ti-White	Stock item	3 m bars
15303	Ti-White	On request	6 m bars
15303-30	Ti-White	Stock item	30 m coils
15305C	Blue	On request	3 m bars
15305	Blue	On request	6 m bars
15305-30	Blue	On request	30 m coils
15302C	Green	Stock item	3 m bars
15302	Green	On request	6 m bars
15302-30	Green	On request	30 m coils

1006 Bar cap

Fit on 5 mm (3/16") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
100600B-30	BluLub	On request	30 m coils
100603-30	Ti-White	Stock item	30 m coils
100605-30	Blue	On request	30 m coils

1007 Bar cap

Fit on 5 mm (3/16") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
100703BC	BluLub	Stock item	3 m bars
100703B	BluLub	On request	6 m bars
100703C	Ti-White	Stock item	3 m bars
100703	Ti-White	On request	6 m bars
100705C	Blue	On request	3 m bars
100705	Blue	On request	6 m bars

1095 Bar cap

Fit on 4 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
109504C	BluLub	On request	3 m bars
109503C	Ti-White	Stock item	3 m bars
109501C	Blue	On request	3 m bars

1040 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
104000BC	BluLub	On request	3 m bars
104000B	BluLub	On request	6 m bars
104003C	Ti-White	Stock item	3 m bars
104003	Ti-White	On request	6 m bars
104005C	Blue	On request	3 m bars
104005	Blue	On request	6 m bars

1008 Bar cap

Fit on 5 mm (3/16") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
100803BC	BluLub	Stock item	3 m bars
100803B	BluLub	On request	6 m bars
100803C	Ti-White	Stock item	3 m bars
100803	Ti-White	Stock item	6 m bars
100805C	Blue	On request	3 m bars
100805	Blue	On request	6 m bars

1009 Bar cap

Fit on 6 mm (1/4") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
100900B-30	BluLub	On request	30 m coils
100903-30	Ti-White	Stock item	30 m coils
100905-30	Blue	On request	30 m coils

1010 Bar cap

Fit on 6 mm (1/4") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
101000B-30	BluLub	On request	30 m coils
101003-30	Ti-White	Stock item	30 m coils
101005-30	Blue	On request	30 m coils

1086 Bar cap

Fit on 8 mm (5/16") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
108600B-30	BluLub	On request	30 m coils
108603-30	Ti-White	On request	30 m coils
108605-30	Blue	On request	30 m coils

1011 Bar cap

Fit on 10 mm (3/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
101100B-30	BluLub	On request	30 m coils
101103-30	Ti-White	On request	30 m coils
101105-30	Blue	On request	30 m coils

1013 Bar cap

Fit on 10 mm (3/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
101300BC	BluLub	On request	3 m bars
101300B	BluLub	On request	6 m bars
101303C	Ti-White	On request	3 m bars
101303	Ti-White	On request	6 m bars
101305C	Blue	On request	3 m bars
101305	Blue	On request	6 m bars

1012 Bar cap

Fit on 12/13 mm (1/2") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
101200B-30	BluLub	On request	30 m coils
101203-30	Ti-White	Stock item	30 m coils
101205-30	Blue	On request	30 m coils

181 Bar cover

Fit on 25,4 x 25,4 mm (1" x 1") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
18100BC	BluLub	On request	3 m bars
18100B	BluLub	On request	6 m bars
18103C	Ti-White	Stock item	3 m bars
18103	Ti-White	On request	6 m bars
18105C	Blue	On request	3 m bars
18105	Blue	On request	6 m bars

1052 Bar cover

Fit on 38,1 x 50,8 mm (1-1/2" x 2") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
105200BC	BluLub	On request	3 m bars
105200B	BluLub	On request	6 m bars
105203C	Ti-White	Stock item	3 m bars
105203	Ti-White	On request	6 m bars
105205C	Blue	On request	3 m bars
105205	Blue	On request	6 m bars

180 Bar cover

Fit on 30,5 x 46 mm | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
18000BC	BluLub	On request	3 m bars
18000B	BluLub	On request	6 m bars
18003C	Ti-White	On request	3 m bars
18003	Ti-White	On request	6 m bars
18005C	Blue	On request	3 m bars
18005	Blue	On request	6 m bars

1108 Bar cover

Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
P110800BC	BluLub	On request	3 m bars
P110803C	Ti-White	On request	3 m bars
P110805C	Blue	On request	3 m bars

1063 Side guide rail - H. 50 mm

Fit on 30 x 4 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
106300BC	BluLub	On request	3 m bars
106301C	Black	Stock item	3 m bars
106302C	Green	Stock item	3 m bars

Plate
30 x 4 mm





Option of application - Plate

137 Side guide rail - H. 50 mm


Fit on 40 x 8 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard




Article-Nr.	Material	Availability	Supply
13701BC	BluLub	Stock item	3 m bars
13701B	BluLub	On request	6 m bars
13703C	Ti-White	Stock item	3 m bars
13703	Ti-White	On request	6 m bars
13702C	Black	Stock item	3 m bars
13702	Black	On request	6 m bars
13705C	Blue	On request	3 m bars
13705	Blue	On request	6 m bars
13701C	Green	Stock item	3 m bars
13701	Green	Stock item	6 m bars

Plate
40 x 8 mm



Option of application - Plate

Part 117
Pag 79




Option of application - M-Profile

Part 1055 Pag 79

Part 362 Part 1097

Pag 104 Pag 104





Option of application - Guide


137 Side guide rail - H. 50 mm

Fit on 40 x 10 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
13711BC	BluLub	Stock item	3 m bars
13711B	BluLub	On request	6 m bars
13713C	Ti-White	On request	3 m bars
13713	Ti-White	On request	6 m bars
13712C	Black	On request	3 m bars
13712	Black	On request	6 m bars
13715C	Blue	On request	3 m bars
13715	Blue	On request	6 m bars
13711C	Green	Stock item	3 m bars
13711	Green	Stock item	6 m bars




158 Side guide rail - H. 60 mm

Fit on 50 x 6 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
15800BC	BluLub	Stock item	3 m bars
15894C	Ti-White	On request	3 m bars
15898C	Black	Stock item	3 m bars
15894BLC	Blue	On request	3 m bars
15897C	Green	Stock item	3 m bars
15800C	Grey	Stock item	3 m bars




1107 Side guide rail - H. 98 mm

Fit on 90 x 12 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
P110700BC	BluLub	On request	3 m bars
P110703C	Ti-White	On request	3 m bars
P110701C	Black	On request	3 m bars
P110705C	Blue	On request	3 m bars




1064 Side guide rail - H. 70 mm

Fit on 55 x 4 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
106400BC	BluLub	On request	3 m bars
106403C	Ti-White	On request	3 m bars
106401C	Black	Stock item	3 m bars
106405C	Blue	On request	3 m bars



183 Side guide rail - H. 80 mm


Fit one 40 x 8 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard




Article-Nr.	Material	Availability	Supply
18301BC	BluLub	Stock item	3 m bars
18301C	Black	Stock item	3 m bars
18305C	Blue	On request	3 m bars
18397C	Green	Stock item	3 m bars

Plate
40 x 8 mm



Option of application - Plate

Part 117
Pag 79



Option of application - M-Profile

Part 1055 Pag 79

Part 362 Part 1097



Pag 104 Pag 104

Option of application - Guide

1103 Side guide rail - H. 85 mm


Fit on 40 x 4 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
110300BC	BluLub	Stock item	3 m bars
110305C	Blue	On request	3 m bars
110304C	Grey	On request	3 m bars


Plate
40 x 4 mm



Option of application - Plate

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.





158 Side guide rail - H. 90 - 100 - 120 - 140 mm

Fit on 50 x 6 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	A	B	Material	Availability	Supply
15801BC	90	45	BluLub	Stock item	3 m bars
15802BC	100	50	BluLub	Stock item	3 m bars
15803BC	120	60	BluLub	Stock item	3 m bars
15804BC	140	70	BluLub	On request	3 m bars
15831C	90	45	Ti-White	On request	3 m bars
18532C	100	50	Ti-White	On request	3 m bars
15833C	120	60	Ti-White	On request	3 m bars
15834C	140	70	Ti-White	On request	3 m bars
15801BLC	90	45	Blue	On request	3 m bars
15802BLC	100	50	Blue	On request	3 m bars
15803BLC	120	60	Blue	On request	3 m bars
15804BLC	140	70	Blue	On request	3 m bars
15801C	90	45	Grey	Stock item	3 m bars
15802C	100	50	Grey	Stock item	3 m bars
15803C	120	60	Grey	Stock item	3 m bars
15804C	140	70	Grey	On request	3 m bars




194 Side guide rail with Label saver - H. 90 - 120 mm

Fit on 50 x 6 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	A	B	Material	Availability	Supply
19400BC	90	45	BluLub	Stock item	3 m bars
19403BC	120	60	BluLub	Stock item	3 m bars
19430C	90	45	Ti-White	On request	3 m bars
19433C	120	60	Ti-White	On request	3 m bars
19400BLC	90	45	Blue	On request	3 m bars
19403BLC	120	60	Blue	On request	3 m bars
19400C	90	45	Grey	On request	3 m bars
19403C	120	60	Grey	On request	3 m bars



189 Side guide rail - H. 136 mm

Fit on 40 x 8 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
18912BC	BluLub	Stock item	3 m bars
18912BLC	Blue	On request	3 m bars
18916C	Grey	On request	3 m bars

Plate
40 x 8 mm

Option of application - Plate



Part 117
Pag 79

Option of application - M-Profile

Part 1055 Pag 79
Part 362 **Part 1097**
Pag 104 Pag 104

Option of application - Guide

Side guide rail with Label saver - H. 136 mm



Article-Nr.	Material	Availability	Supply
18910BC	BluLub	Stock item	3 m bars
18910BLC	Blue	On request	3 m bars
18914C	Grey	Stock item	3 m bars

Plate
40 x 8 mm

Option of application - Plate

Part 117
Pag 79


Option of application - M-Profile

Part 1055 Pag 79
Part 362 **Part 1097**
Pag 104 Pag 104

Option of application - Guide

Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.



Side guide rail with Label saver - H. 136 mm

Article-Nr.	Material	Availability	Supply
18911BC	BluLub	Stock item	3 m bars
18911BLC	Blue	On request	3 m bars
18915C	Grey	On request	3 m bars





Plate
40 x 8 mm

Option of application - Plate

Part 117
Pag 79

Option of application - M-Profile

Part 1055 Pag 79
Part 362 **Part 1097**
Pag 104 Pag 104



Option of application - Guide

1079 **RS** Side guide rail with Label saver - H. 136 mm

Fit on 40 x 8 mm | Material: **BluLub** + standard **UHMW-PE**

Delivery: **Easy**
Standard

Article-Nr.	Version	Material	Availability	Supply
107900	A	Black+ BluLub	On request	3 m bars
107901	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm

VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
18980	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm


Art-Nr.	Supply
18988	30 m coils

For **RS** application follow the example above.

Single components

Easy Bendable



For the grooved version, just add "S" to the related Article Nr.




1104 Side guide rail - H. 140 mm

Fit on 40 x 4 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
110400BC	BluLub	Stock item	3 m bars
110405C	Blue	On request	3 m bars
110404C	Grey	On request	3 m bars




1096 Side guide rail - H. 140 mm

Fit on 50 x 5 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard




Article-Nr.	Material	Availability	Supply
109600BC	BluLub	Stock item	3 m bars
109600BLC	Blue	On request	3 m bars
109605C	Grey	On request	3 m bars



Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.





189

Side guide rail - H. 140 mm


Fit on 50 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
18902BC	BluLub	Stock item	3 m bars
18902BLC	Blue	On request	3 m bars
18906C	Grey	On request	3 m bars

Plate
50 x 6 mm




Option of application - Plate

Part 159 Pag 79

Part 362 **Part 1097**





Pag 104 Pag 104




Option of application - Guide

Side guide rail with Label saver - H. 140 mm



Article-Nr.	Material	Availability	Supply
18900BC	BluLub	Stock item	3 m bars
18900BLC	Blue	On request	3 m bars
18904C	Grey	Stock item	3 m bars

Plate
50 x 6 mm




Option of application - Plate

Part 159 Pag 79

Part 362 **Part 1097**




Pag 104 Pag 104





Option of application - Guide

Easy Bendable


For the grooved version, just add "S" to the related Article Nr.



Side guide rail with Label saver - H. 140 mm




Article-Nr.	Material	Availability	Supply
18901BC	BluLub	Stock item	3 m bars
18901BLC	Blue	On request	3 m bars
18905C	Grey	On request	3 m bars



Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.




135 Side guide rail - H. 78 mm

Fit on 60 x 6 mm | Material: Standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
13501C	Black	Stock item	3 m bars
13501	Black	Stock item	6 m bars
13502C	Blue RAL 5012	Stock item	3 m bars
13502	Blue RAL 5012	Stock item	6 m bars



136 Side guide rail - H. 87 mm

Fit on 60 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
13601C	Black	Stock item	3 m bars
13601	Black	On request	6 m bars
13602C	Blue RAL 5012	Stock item	3 m bars
13602	Blue RAL 5012	Stock item	6 m bars



1057|1077 Side guide rail - H. 90 mm

Fit on 50 x 6 mm | Material: **BluLub**, **UHMW-PE** and **AS**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
105720BLC	BluLub	Stock item	3 m bars
105721C	Black	On request	3 m bars
105705C	Blue	On request	3 m bars
105724C	Grey	On request	3 m bars
105721AC	AS	On request	3 m bars

Plate
50 x 6 mm

Option of application - Plate

Part 362
Pag 104



Part 159
Pag 80

Part 1097
Pag 104

Part 3310
Pag 105

Option of application - Guide

Side guide rail with Label saver - H. 90 mm



Article-Nr.	Material	Availability	Supply
107720BLC	BluLub	Stock item	3 m bars
107721C	Black	On request	3 m bars
107725C	Blue	On request	3 m bars
107724C	Grey	On request	3 m bars
107721AC	AS	On request	3 m bars

Plate
50 x 6 mm

Option of application - Plate

Part 362
Pag 104

Part 159
Pag 80


Part 1097
Pag 104

Part 3310
Pag 105

Option of application - Guide

Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.





1077|1078

RS Side guide rail with Label saver - H. 90 mm


Fit on 50 x 6 mm | Material: **BluLub** + standard **UHMW-PE**

Delivery: **Easy**
Standard

Article-Nr.	Version	Material	Availability	Supply
107722	A	Black+ BluLub	On request	3 m bars
107723	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
107790	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm



Art-Nr.	Supply
18988	30 m coils

For **RS** application follow the example above.


Single components

Side guide rail with two Label saver - H. 90 mm

Article-Nr.	Version	Material	Availability	Supply
107822	A	Black+ BluLub	On request	3 m bars
107823	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
107890	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm

Art-Nr.	Supply
18988	30 m coils


Label saver 2 cm and 4 cm can also be combined together to obtain different version.

For **RS** application follow the example above.

Single components

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.



1057|1077 Side guide rail - H. 90 mm

Fit on 60 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy Standard**



Article-Nr.	Material	Availability	Supply
105700BC	BluLub	Stock item	3 m bars
105711C	Black	Stock item	3 m bars
105705C	Blue	On request	3 m bars
105704C	Grey	Stock item	3 m bars

Plate
60 x 6 mm



Option of application - Plate

Part 362 **Part 1089**
Pag 104 Pag 80

Part 1097 **Part 3310**
Pag 104 Pag 105

Option of application - Guide

Side guide rail with Label saver - H. 90 mm



Article-Nr.	Material	Availability	Supply
107700BC	BluLub	On request	3 m bars
107711C	Black	On request	3 m bars
107705C	Blue	On request	3 m bars
107704C	Grey	On request	3 m bars

Plate
60 x 6 mm

Option of application - Plate


Part 362 **Part 1089**
Pag 104 Pag 80

Part 1097 **Part 3310**
Pag 104 Pag 105

Option of application - Guide

Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.




1077|1078


RS Side guide rail with Label saver - H. 90 mm

Fit on 60 x 6 mm | Material: **BluLub** + standard **UHMW-PE**


Delivery: **Easy Standard**



Article-Nr.	Version	Material	Availability	Supply
107700	A	Black+ BluLub	On request	3 m bars
107701	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
107791	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils


Label saver 4 cm

Art-Nr.	Supply
18988	30 m coils


For **RS** application follow the example above.

Single components


Side guide rail with two Label saver - H. 90 mm



Article-Nr.	Version	Material	Availability	Supply
107800	A	Black+ BluLub	On request	3 m bars
107801	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
107891	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm

Art-Nr.	Supply
18988	30 m coils


Label saver 2 cm and 4 cm can also be combined together to obtain different version.

For **RS** application follow the example above.

Single components

Easy Bendable

For the grooved version, just add "S" to the related Article Nr.





193|189

Side guide rail - H. 140 mm

Fit on 60 x 5 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
19330BC	BluLub	Stock item	3 m bars
19335C	Blue	On request	3 m bars
19334C	Grey	On request	3 m bars

Plate
60 x 5 mm

Part 3310
Pag 105

Option of application - M-Profile

Part 362
Pag 104



Part 1088
Pag 80

Part 1097
Pag 104

Part 3310
Pag 105

Option of application - Guide

Side guide rail with Label saver - H. 140 mm



Article-Nr.	Material	Availability	Supply
18980BC	BluLub	Stock item	3 m bars
18985C	Blue	On request	3 m bars
18984C	Grey	On request	3 m bars

Plate
60 x 5 mm

Part 3310
Pag 105

Option of application - M-Profile

Part 362
Pag 104

Part 1088
Pag 80


Part 1097
Pag 104

Part 3310
Pag 105

Option of application - Guide

Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.



Side guide rail with Label saver - H. 140 mm

Article-Nr.	Material	Availability	Supply
18940BC	BluLub	Stock item	3 m bars
18945C	Blue	On request	3 m bars
18944C	Grey	Stock item	3 m bars





Plate
60 x 5 mm

Part 3310
Pag 105

Option of application - M-Profile

Part 362
Pag 104

Part 1088
Pag 80


Part 1097
Pag 104

Part 3310
Pag 105

Option of application - Guide

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.



193 Side guide rail - H. 140 mm

Fit on 60 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
19320BC	BluLub	Stock item	3 m bars
19325C	Blue	On request	3 m bars
19324C	Grey	Stock item	3 m bars

Plate
60 x 6 mm

Part 3310
Pag 105

Option of application - Plate

Part 362
Pag 104

Part 1089
Pag 80

Part 1097
Pag 104



Part 3310
Pag 105

Option of application - Guide

189 Side guide rail with Label saver - H. 140 mm

Fit on 60 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
18920BC	BluLub	Stock item	3 m bars
18925C	Blue	On request	3 m bars
18924C	Grey	Stock item	3 m bars

Plate
60 x 6 mm

Part 3310
Pag 105

Option of application - Plate

Part 362
Pag 104

Part 1089
Pag 80


Part 1097
Pag 104

Part 3310
Pag 105

Option of application - Guide

Easy Bendable

For the grooved version, just add "-S" to the related Article Nr.



Side guide rail with Label saver - H. 140 mm

Article-Nr.	Material	Availability	Supply
18930BC	BluLub	Stock item	3 m bars
18935C	Blue	On request	3 m bars
18934C	Grey	Stock item	3 m bars





Plate
60 x 6 mm



Part 3310
Pag 105

Option of application - Plate

Part 362

Part 1089
Pag 80

Part 1097

Part 3310
Pag 105



Part 3310
Pag 105



Option of application - Guide

1075 RS Side guide rail with Label saver - H. 140 mm

Fit on 60 x 6 mm | Material: **BluLub** + standard **UHMW-PE**

Delivery: **Easy**
Standard

Article-Nr.	Version	Material	Availability	Supply
107500	A	Black+ BluLub	On request	3 m bars
107501	B	Black+ BluLub	On request	3 m bars



VERSION A - Label saver 2 cm

VERSION B - Label saver 4 cm

Base profile

Art-Nr.	Supply
18990	3 m bars

Label saver 2 cm

Art-Nr.	Supply
18987	30 m coils

Label saver 4 cm


Art-Nr.	Supply
18988	30 m coils

For **RS** application follow the example above.

Single components

Easy Bendable



For the grooved version, just add "S" to the related Article Nr.



187 Side guide rail - H. 170 mm

Fixing system: Clamp or Steel plate 60 x 6 mm | Material: **UHMW-PE & BluLub**

Delivery: **Easy**
Standard



Article-Nr.	Material	Availability	Supply
18710BC	BluLub	Stock item	3 m bars
18705C	Blue	On request	3 m bars
18714C	Grey	On request	3 m bars

Plate
60 x 6 mm



Part 3310
Pag 105

Option of application - Plate

Part 362
Pag 104

Part 1089
Pag 80



Part 1097
Pag 104



Part 3310
Pag 105

Option of application - Guide

Side guide rail with Label saver - H. 170 mm



Article-Nr.	A	Material	Availability	Supply
18720BC	12	BluLub	Stock item	3 m bars
18730BC	20	BluLub	Stock item	3 m bars
18740BC	40	BluLub	Stock item	3 m bars
18725C	12	Blue	On request	3 m bars
18735C	20	Blue	On request	3 m bars
18745C	40	Blue	On request	3 m bars
18724C	12	Grey	On request	3 m bars
18734C	20	Grey	On request	3 m bars
18744C	40	Grey	On request	3 m bars

Plate
60 x 6 mm



Part 3310
Pag 105

Option of application - Plate

Part 362
Pag 104

Part 1089
Pag 80

Part 1097
Pag 104




Part 3310
Pag 105

Option of application - Guide

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.




117 M-Profile

Used with part: 137 - 183 - 189 | Material: Stainless steel AISI 304

Delivery: **Easy**
Standard





Article-Nr.	A	B	Availability	Supply
11703C	6	10	Stock item	3 m bars
11703	6	10	On request	6 m bars
11701C	8	8	Stock item	3 m bars
11701	8	8	Stock item	6 m bars
11702C	10	10	Stock item	3 m bars
11702	10	10	On request	6 m bars




1055 Stainless steel profile

Used with part: 137 - 183 - 189 | Material: Stainless steel AISI 304

Delivery: **Easy**
Standard





Article-Nr.	A	B	Availability	Supply
105501C	40	8	Stock item	3 m bars
105501	40	8	On request	6 m bars
105503C	50	6	Stock item	3 m bars
105503	50	6	On request	6 m bars




159-1088-1089 Aluminum Guide

Delivery: **Easy**
Standard



Used with part: 158 - 194 - 1096 - 189 - 1057 - 1077 - 193 - 187



Article-Nr.	A	B	Availability	Supply
15901C	50	6	Stock item	3 m bars
15901	50	6	On request	6 m bars
108801C	60	5	Stock item	3 m bars
108801	60	5	On request	6 m bars
108901C	60	6	Stock item	3 m bars
108901	60	6	On request	6 m bars



Stainless steel profile
thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
11901BC	BluLub	Stock item	3 m bars
11901B	BluLub	On request	6 m bars
11901C	Ti-White	Stock item	3 m bars
11901	Ti-White	On request	6 m bars
11905C	Blue	On request	3 m bars
11905	Blue	On request	6 m bars
11901AC	AS	Stock item	3 m bars
11901A	AS	On request	6 m bars

Stainless steel profile
thickness: 1,5 mm





Hygienic
Version



Article-Nr.	Material	Availability	Supply
11921BC	BluLub	On request	3 m bars
11921B	BluLub	On request	6 m bars
11921C	Ti-White	On request	3 m bars
11921	Ti-White	On request	6 m bars
11925C	Blue	On request	3 m bars
11925	Blue	On request	6 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
11963B	BluLub	On request	3 m bars
11967B	BluLub	On request	6 m bars
11963	Ti-White	Stock item	3 m bars
11967	Ti-White	On request	6 m bars
11964C	Blue	On request	3 m bars
11964	Blue	On request	6 m bars
11963A	AS	Stock item	3 m bars
11967A	AS	On request	6 m bars

Stainless steel profile
thickness: 1,9 mm





Hygienic
Version





Article-Nr.	Material	Availability	Supply
11953B	BluLub	On request	3 m bars
11957B	BluLub	On request	6 m bars
11953	Ti-White	On request	3 m bars
11957	Ti-White	Stock item	6 m bars
11983C	Blue	On request	3 m bars
11987	Blue	On request	6 m bars

Stainless steel profile
thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12101BC	BluLub	On request	3 m bars
12101B	BluLub	On request	6 m bars
12101C	Ti-White	Stock item	3 m bars
12101	Ti-White	On request	6 m bars
12105C	Blue	On request	3 m bars
12105	Blue	On request	6 m bars
12101AC	AS	Stock item	3 m bars
12101A	AS	On request	6 m bars

Stainless steel profile
thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12121BC	BluLub	On request	3 m bars
12121B	BluLub	On request	6 m bars
12121C	Ti-White	On request	3 m bars
12121	Ti-White	On request	6 m bars
12125C	Blue	On request	3 m bars
12125	Blue	On request	6 m bars

Stainless steel profile
thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
12163B	BluLub	On request	3 m bars
12167B	BluLub	On request	6 m bars
12163	Ti-White	Stock item	3 m bars
12167	Ti-White	On request	6 m bars
12173	Blue	On request	3 m bars
12177	Blue	On request	6 m bars
12163A	AS	Stock item	3 m bars
12167A	AS	On request	6 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12153B	BluLub	On request	3 m bars
12157B	BluLub	On request	6 m bars
12153	Ti-White	Stock item	3 m bars
12157	Ti-White	On request	6 m bars
12183	Blue	On request	3 m bars
12187	Blue	On request	6 m bars

120 Guide rail

Material: **BluLub**, **Ti-White**, standard **UHMW-PE** and **AS** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12001BC	BluLub	On request	3 m bars
12001B	BluLub	On request	6 m bars
12001C	Ti-White	Stock item	3 m bars
12001	Ti-White	On request	6 m bars
12005C	Blue	On request	3 m bars
12005	Blue	On request	6 m bars
12001AC	AS	Stock item	3 m bars
12001A	AS	On request	6 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12063B	BluLub	On request	3 m bars
12067B	BluLub	On request	6 m bars
12063	Ti-White	Stock item	3 m bars
12067	Ti-White	On request	6 m bars
12063BL	Blue	On request	3 m bars
12067BL	Blue	On request	6 m bars
12063A	AS	Stock item	3 m bars
12067A	AS	On request	6 m bars

152 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
15200BC	BluLub	On request	3 m bars
15201C	Ti-White	Stock item	3 m bars
15205C	Blue	On request	3 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
15260BC	BluLub	On request	3 m bars
15263	Ti-White	On request	3 m bars
15265C	Blue	On request	3 m bars

1067 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
106700BC	BluLub	On request	3 m bars
106701C	Ti-White	On request	3 m bars
106705C	Blue	On request	3 m bars

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
106760BC	BluLub	On request	3 m bars
106763	Ti-White	On request	3 m bars
106765C	Blue	On request	3 m bars

143 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14300BC	BluLub	On request	3 m bars
14301C	Ti-White	On request	3 m bars
14305C	Blue	On request	3 m bars

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14360BC	BluLub	On request	3 m bars
14363	Ti-White	Stock item	3 m bars
14365C	Blue	On request	3 m bars

122 Guide rail

Material: **BluLub**, **Ti-White**, standard **UHMW-PE** and **AS** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12200BC	BluLub	On request	3 m bars
12201C	Ti-White	Stock item	3 m bars
12205C	Blue	On request	3 m bars
12201AC	AS	Stock item	3 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12260BC	BluLub	On request	3 m bars
12263	Ti-White	Stock item	3 m bars
12263BLC	Blue	On request	3 m bars
12263A	AS	Stock item	3 m bars

123 Guide rail

Material: **BluLub**, **Ti-White**, standard **UHMW-PE** and **AS** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12300BC	BluLub	On request	3 m bars
12301C	Ti-White	Stock item	3 m bars
12305C	Blue	On request	3 m bars
12301AC	AS	Stock item	3 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12360BC	BluLub	On request	3 m bars
12363	Ti-White	Stock item	3 m bars
12363BLC	Blue	On request	3 m bars
12363A	AS	Stock item	3 m bars

140 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14000BC	BluLub	On request	3 m bars
14001C	Ti-White	Stock item	3 m bars
14005C	Blue	On request	3 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14060BC	BluLub	On request	3 m bars
14063	Ti-White	Stock item	3 m bars
14063BLC	Blue	On request	3 m bars

146 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14600BC	BluLub	On request	3 m bars
14601C	Ti-White	On request	3 m bars
14605C	Blue	On request	3 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14660BC	BluLub	On request	3 m bars
14663	Ti-White	On request	3 m bars
14663BLC	Blue	On request	3 m bars

124 Guide rail

Material: **BluLub**, **Ti-White**, standard **UHMW-PE** and **AS** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12400BC	BluLub	On request	3 m bars
12401C	Ti-White	Stock item	3 m bars
12405C	Blue	On request	3 m bars
12401AC	AS	Stock item	3 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12460BC	BluLub	On request	3 m bars
12463	Ti-White	Stock item	3 m bars
12463BLC	Blue	On request	3 m bars
12463A	AS	Stock item	3 m bars

141 Guide rail

Material: **BluLub**, **Ti-White**, standard **UHMW-PE** and **AS** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14100BC	BluLub	On request	3 m bars
14101C	Ti-White	Stock item	3 m bars
14105C	Blue	On request	3 m bars
14101AC	AS	Stock item	3 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14160BC	BluLub	On request	3 m bars
14163	Ti-White	Stock item	3 m bars
14163BLC	Blue	On request	3 m bars
14163A	AS	Stock item	3 m bars

142 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14200BC	BluLub	On request	3 m bars
14201C	Ti-White	On request	3 m bars
14205C	Blue	On request	3 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14260BC	BluLub	On request	3 m bars
14263	Ti-White	On request	3 m bars
14263BLC	Blue	On request	3 m bars

125 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12500BC	BluLub	On request	3 m bars
12501C	Ti-White	On request	3 m bars
12505C	Blue	On request	3 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
12560BC	BluLub	On request	3 m bars
12563	Ti-White	Stock item	3 m bars
12563BLC	Blue	On request	3 m bars

144 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14400BC	BluLub	On request	3 m bars
14401C	Ti-White	Stock item	3 m bars
14405C	Blue	On request	3 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14460BC	BluLub	On request	3 m bars
14463	Ti-White	Stock item	3 m bars
14463BLC	Blue	On request	3 m bars

184 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
18400BC	BluLub	On request	3 m bars
18401C	Ti-White	On request	3 m bars
18405C	Blue	On request	3 m bars

Stainless steel profile
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
18460BC	BluLub	On request	3 m bars
18463	Ti-White	On request	3 m bars
18463BLC	Blue	On request	3 m bars

145 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
14503C	BluLub	On request	3 m bars
14504C	Ti-White	On request	3 m bars
14505C	Blue	On request	3 m bars

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
14563	BluLub	On request	3 m bars
14564	Ti-White	On request	3 m bars
14565	Blue	On request	3 m bars

1087 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
108763	BluLub	On request	3 m bars
108764	Ti-White	On request	3 m bars
108765	Blue	On request	3 m bars

191 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
19100BC	BluLub	On request	3 m bars
19101C	Ti-White	Stock item	3 m bars
19105C	Blue	On request	3 m bars

126 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12600BC	BluLub	On request	3 m bars
12601C	Ti-White	On request	3 m bars
12605C	Blue	On request	3 m bars

127 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12700BC	BluLub	On request	3 m bars
12701C	Ti-White	On request	3 m bars
12705C	Blue	On request	3 m bars

128 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
12800BC	BluLub	On request	3 m bars
12801C	Ti-White	On request	3 m bars
12805C	Blue	On request	3 m bars

129 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
12900BC	BluLub	On request	3 m bars
12901C	Ti-White	On request	3 m bars
12905C	Blue	On request	3 m bars

For wide profiles, **Movex®** always suggests to bend them to the right curve radius using the appropriate tool, **Movex®** bending machine is a versatile bending device developed for professional user.

Remarkable features are: quick readiness for use, good bending performance and little space requirements.



Electric Bending machine

Art-Nr. **19848**

Dimension base: 665 x 740 mm
 Height: 1400 mm
 Approximate weight: 170 Kg
 Shafts diameter: 30 mm
 Rolls diameter: 137 mm
 Geared motor: HP 1
 Shafts speed: 9 RPM
 Steel frame
 Two forming rolls
 Steel shafts in special steel

Manual Bending machine


Art-Nr. **19999**




Dimension: 570 x 260 mm Height: 180 mm
 Approximate weight: 19 Kg Steel frame
 Shafts diameter: 25 mm

To achieve the correct curvature please follow below steps:


1 | Identify correct curve radius angle




2 | Insert the plate into the profile



3 | Bend assembled profile



4 | Assemble the curved profile on the line



*For narrower profiles, bending operation can be done directly on the line, by hand.

151 Roller for Bending machine

Material: Standard **UHMW-PE**

Delivery: **Easy Standard**





Internal curve






External curve



Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15101	25	119 - 120 - 121 - 152
151	15101E	30	119 - 120 - 121 - 152






Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15102	25	122 - 123 - 124 - 140 - 142 - 146
151	15102E	30	122 - 123 - 124 - 140 - 142 - 146






Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15103	25	141
151	15103E	30	141



Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15104	25	144
151	15104E	30	144



Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15105	25	Ø8 - Ø10 - Ø12
151	15105E	30	Ø8 - Ø10 - Ø12





Internal curve





External curve

Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15109	25	358
151	15109E	30	358





See general catalog for product details.




Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15110	25	360
151	15110E	30	360





See general catalog for product details.




Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15106	25	359
151	15106E	30	359





See general catalog for product details.





Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15107	25	361
151	15107E	30	361



See general catalog for product details.





Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15108	25	117
151	15108E	30	117



170 Neck guide

Fit on 2,5 mm | Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
17001B	BluLub STABILIZED	Stock item	3 m bars
17002B	BluLub STABILIZED	Stock item	6 m bars
17000B	BluLub STABILIZED	Stock item	30 m coils
17001	Ti-White	On request	3 m bars
17002	Ti-White	On request	6 m bars
17000	Ti-White	On request	30 m coils
17005C	Blue	On request	3 m bars
17005	Blue	On request	6 m bars
17005-30	Blue	On request	30 m coils

168 Neck guide

Fit on 2,5 mm | Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
16801B	BluLub STABILIZED	Stock item	3 m bars
16802B	BluLub STABILIZED	On request	6 m bars
16800B	BluLub STABILIZED	Stock item	30 m coils
16801	Ti-White	On request	3 m bars
16802	Ti-White	On request	6 m bars
16800	Ti-White	On request	30 m coils
16805C	Blue	On request	3 m bars
16805	Blue	On request	6 m bars
16805-30	Blue	On request	30 m coils

169 Neck guide

Fit on 2,5 mm | Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
16901B	BluLub STABILIZED	Stock item	3 m bars
16902B	BluLub STABILIZED	On request	6 m bars
16900B	BluLub STABILIZED	Stock item	30 m coils
16901	Ti-White	On request	3 m bars
16902	Ti-White	On request	6 m bars
16900	Ti-White	On request	30 m coils
16905C	Blue	On request	3 m bars
16905	Blue	On request	6 m bars
16905-30	Blue	On request	30 m coils

167 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
16700BC	BluLub STABILIZED	Stock item	3 m bars
16700B	BluLub STABILIZED	On request	6 m bars
16700B-30	BluLub STABILIZED	Stock item	30 m coils
16700C	Ti-White	On request	3 m bars
16700	Ti-White	On request	6 m bars
16700-30	Ti-White	On request	30 m coils
16705C	Blue	On request	3 m bars
16705	Blue	On request	6 m bars
16705-30	Blue	On request	30 m coils

192 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
19200B	BluLub STABILIZED	Stock item	30 m coils
19200	Ti-White	On request	30 m coils
19205	Blue	On request	30 m coils

1062 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
106200B	BluLub STABILIZED	Stock item	30 m coils
106200	Ti-White	On request	30 m coils
106205	Blue	On request	30 m coils

1072 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
107200B	BluLub STABILIZED	Stock item	30 m coils
107200	Ti-White	On request	30 m coils
107205	Blue	On request	30 m coils

1073 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
107300B	BluLub STABILIZED	Stock item	30 m coils
107300	Ti-White	On request	30 m coils
107305	Blue	On request	30 m coils

1076 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
107600B	BluLub STABILIZED	Stock item	30 m coils
107600	Ti-White	On request	30 m coils
107605	Blue	On request	30 m coils

1037 Neck guide

Fit on 3 mm | Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
103700B	BluLub STABILIZED	Stock item	30 m coils
103700	Ti-White	On request	30 m coils
103705	Blue	On request	30 m coils

171 Neck guide

Fit on 3 mm | Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
17100B	BluLub STABILIZED	Stock item	30 m coils
17100	Ti-White	On request	30 m coils
17105	Blue	On request	30 m coils

172 Neck guide

Fit on 3 mm | Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





Article-Nr.	Material	Availability	Supply
17200B	BluLub STABILIZED	Stock item	30 m coils
17200	Ti-White	On request	30 m coils
17205	Blue	On request	30 m coils


131 Plastic rail

Material: **BluLub STABILIZED**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



TYPE A





TYPE B

Article-Nr.	Type	Material	Availability	Supply
13101B	A	BluLub STABILIZED	Stock item	30 m coils
13102B	B	BluLub STABILIZED	Stock item	30 m coils
13106	A	Ti-White	On request	30 m coils
13107	B	Ti-White	On request	30 m coils
13108	A	Blue	On request	30 m coils
13109	B	Blue	On request	30 m coils
13101	A	Grey	Stock item	30 m coils
13102	B	Grey	Stock item	30 m coils


130 Aluminum rail

Material: Aluminum

Delivery: **Easy**
Standard



TYPE A





TYPE B

Article-Nr.	Type	Availability	Supply
13001C	A	Stock item	3 m bars
13001	A	On request	6 m bars
13002C	B	Stock item	3 m bars

188 Aluminum rail

Material: Aluminum

Delivery: **Easy**
Standard



Article-Nr.	Availability	Supply
18801C	Stock item	3 m bars
18801	Stock item	6 m bars

Used with
Part 362 Pag 104
Part 1097 Pag 104






113 Central wear strip shoe

USED WITH PART: 112





Delivery: **Easy**
Standard

Article-Nr.	Colour	Availability
11301	Black	On request



WITH NOSE

Article-Nr.	Colour	Availability
11302	Black	On request




Example of application

113 Lateral wear strip shoe

Delivery: **Easy**
Standard

Article-Nr.	Colour	Availability
11351	Black	On request


VERSION LEFT



VERSION RIGHT



Article-Nr.	Colour	Availability
11352	Black	On request





114 Fixing clamp

USED WITH PART: 112

Delivery: **Easy**
Standard

Article-Nr.	A	B	C	Colour	Availability
11401	10	6,2	4,5	Black	On request
11402	13	8,2	6	Black	On request




116 Side transfer guide shoe

USED WITH PART: 112

Delivery: **Easy**
Standard

Article-Nr.	Colour	Availability
11651	Black	On request



VERSION LEFT



VERSION RIGHT



Article-Nr.	Colour	Availability
11652	Black	On request





116 Side transfer guide shoe

USED WITH PART: 112

Delivery: **Easy**
Standard


Article-Nr.	Colour	Availability
11601	Black	On request

VERSION LEFT



VERSION RIGHT

Article-Nr.	Colour	Availability
11602	Black	On request





115 Connecting element

USED WITH PART: 112

Delivery: **Easy**
Standard



Article-Nr.	A	B	C	Colour	Availability
11501	10	6,2	4,5	Black	On request
11502	13	8,2	6	Black	On request



230 Spacer

Delivery: **Easy**
Standard





Article-Nr.	Colour	Availability
23001	Black	On request



231 Spacer for serpentine

Delivery: **Easy**
Standard


Article-Nr.	Colour	w
23001	Black	84
23102	Black	88
23103	Black	108
23104	Black	116




362 T-Bolt - Stainless steel AISI 304

USED WITH PART: 154 - 155 -159 - 164 - 165 - 358 - 359 - 360 - 361 - 1055 - 1088 - 1089

Delivery: **Easy**
Standard




Part	Article-Nr.	A	Availability
362	36201	17	Stock item
362	36202	22	Stock item
362	36203	27	Stock item




3629 Large T-Bolt - Stainless steel AISI 304

USED WITH PART: 112

Delivery: **Easy**
Standard




Part	Article-Nr.	A	Availability
3629	362901	17	Stock item
3629	362902	22	Stock item
3629	362903	27	Stock item




1097 Closing profile

Delivery: **Easy**
Standard




Article-Nr.	Material	Availability	Supply
109701-30	Grey PVC	Stock item	30 m coils



Used with Part:
154 - 155 - 159 - 164 - 165 - 188
358 - 359 - 360 - 361 - 1055 - 1088 - 1089

3310 Clamp - Stainless steel


Delivery: **Easy**
Standard



Part	Article-Nr.	ØA
3310	33101	without pin
3310	33102	12
3310	33103	16


For curved application

Part	Article-Nr.	ØA
3310	33105	without pin
3310	33106	12
3310	33107	16



3311 Clamp - Stainless steel


Delivery: **Easy**
Standard



Part	Article-Nr.	ØA
3311	33112	12
3311	33113	16


For curved application

Part	Article-Nr.	ØA
3311	33116	12
3311	33117	16



345 Clamp - Stainless steel

Delivery: **Easy**
Standard




Part	Article-Nr.	ØA
345	34501	without pin
345	34502	12
345	34503	16



341 Clamp - Plastic



Delivery: **Easy**
Standard



TYPE A

Used with Part 136 Pag 65


Part	Article-Nr.	A	B
341	34111	without pin	Black
341	34112	12	Black
341	34113	16	Black
341	34161	without pin	Hygienic blue
341	34162	12	Hygienic blue
341	34163	16	Hygienic blue



TYPE B

Used with Part 135 Pag 65

Part	Article-Nr.	A	B
341	34101	without pin	Black
341	34102	12	Black
341	34103	16	Black
341	34151	without pin	Hygienic blue
341	34152	12	Hygienic blue
341	34153	16	Hygienic blue




351

Rod - Stainless steel
USED WITH PART: 341 - 345 - 3310

Delivery: **Easy**
Standard




Part	Article-Nr.	A	B
351	35101	80	M10
351	35102	100	M10
351	35103	150	M10
351	35151	80	M8
351	35152	100	M8
351	35153	150	M8




3004

Rod - Stainless steel
USED WITH PART: 324 - 337

Delivery: **Easy**
Standard




Part	Article-Nr.	A	B
3004	300401	80	M10
3004	300402	100	M10
3004	300403	150	M10
3004	300451	80	M8
3004	300452	100	M8
3004	300453	150	M8




352

Rod - Stainless steel
USED WITH PART: 324 - 337

Delivery: **Easy**
Standard




Part	Article-Nr.	A	B
352	35201	80	M10
352	35201	100	M10
352	35203	150	M10
352	35251	80	M8
352	35252	100	M8
352	35253	150	M8




3005 Rod - Stainless steel

USED WITH PART: 341 - 345 - 3310

Delivery: **Easy**
Standard




Part	Article-Nr.	A	B
3005	300501	80	M10
3005	300502	100	M10
3005	300503	150	M10
3005	300551	80	M8
3005	300552	100	M8
3005	300553	150	M8




347 Rod - Stainless steel

USED WITH PART: 324 - 337

Delivery: **Easy**
Standard




Part	Article-Nr.	A	B
347	34701	80	M10
347	34702	100	M10
347	34703	150	M10
347	34751	80	M8
347	34752	100	M8
347	34753	150	M8




348 Rod - Stainless steel

Delivery: **Easy**
Standard




Part	Article-Nr.	A	B
348	34801	80	M10
348	34802	100	M10
348	34803	150	M10
348	34851	80	M8
348	34852	100	M8
348	34853	150	M8




346 Rod - Stainless steel

Delivery: **Easy**
Standard




Part	Article-Nr.	A	B
346	34699	M8	M8
346	34602	M8	M10
346	34603	M10	M10




357 Rod - Stainless steel

Delivery: **Easy**
Standard



Part	Article-Nr.	A
357	35701	80
357	35702	100
357	35203	150





3099 Sticker rulers

Delivery: **Easy**
Standard



Part	Article-Nr.	Color	Sheet
3099	309999	White	26 pcs
3099	309999T	Transparent	26 pcs
3099	309999Y	Yellow	26 pcs





movexii.com

EXTRUDED PROFILES

Movex[®]

Movex S.p.A. a socio unico

Headquarters

Viale Industria, 22
24060 Castelli Calepio (BG)

P +39 035 8359711
F +39 035 4420873

Logistics Center

Via Repubblica, 25
24060 Castelli Calepio (BG)

info@movexii.com
www.movexii.com

Movex worldwide

Movex GmbH

P +49-6204-9375-0

Movex Brasil Ltda

P +55-15-3141-2550

Movex France

P +39-335-8085980

Movex AG India

P +91-120-4159660-62

Movex Russia

P +7 (495) 925-88-56

Movex UK Ltd.

P +44-77-20678442

Movex Nederland

P +31-630-994850

Movex USA Inc.

P +1-919-274-5477

Movex SA de CV

P +52-1-3318458187

Movex CIS Countries

P +39-348-7769760